



# BRAZZEN

RURAL PRODUCTS



# 2026

PRODUCT BOOKLET  
[www.brazzen.com.au](http://www.brazzen.com.au)

## DEALERS

### ACT

Brazzen Canberra (Independent Steel Company)

### New South Wales

Brazzen Barrington Coast  
Brazzen Dubbo (Mullion Produce)  
Brazzen Hunter Valley  
Brazzen Macleay Valley  
Brazzen Moss Vale (Independent Steel Company)  
Brazzen Northern Rivers  
Brazzen Nowra (Independent Steel Company)  
Brazzen Orange (Mullion Produce)  
Brazzen Queanbeyan (Independent Steel Company)  
Brazzen Tamworth (Steel Save)  
Brazzen Wagga Wagga (Direct Steel Wagga)

### Northern Territory

Brazzen Darwin & Top End

### Queensland

Brazzen FNQ  
Brazzen Lockyer Valley  
Brazzen Mackay  
Brazzen Morayfield  
Brazzen Mt Perry  
Brazzen Rockhampton  
Brazzen Scenic Rim  
Brazzen Townsville

### South Australia

Brazzen Kimba (Lienert Ag Supplies)  
Brazzen Tailem Bend (River Murray Trading Post)

### Tasmania

Brazzen Tas Rural

### Victoria

Brazzen Alpine Country Victoria  
Brazzen Ballarat (The Haymarket)  
Brazzen Colac  
Brazzen Gippsland  
Brazzen Hamilton  
Brazzen Katunga  
Brazzen Yarra Valley

### Western Australia

Brazzen Esperance  
Brazzen Geraldton  
Brazzen Kondinin  
Brazzen Moora  
Brazzen Southern Stockyards (Bunbury Area)

## SUPPLIERS

### New South Wales

Bathurst AG Horse & Pet  
Berry Rural Store  
Binalong Rural  
Boorowa Hardware  
Candelo Stockfeeds  
Carrington Rd Stockfeeds - Londonderry  
Cleanseeds Pty Ltd  
D & R Stockfeed - Camden  
DH Roberts Pty Ltd  
DST Rural  
Elders Ariah Park  
Goulburn Horse Ag & Pet  
Heartland Rural Cowra  
JD's Rural Supplies  
MacCallum Inglis  
Mandalong Stockfeeds - Morisset  
Marulan Rural Supplies  
Milton Hardware & Mowers  
Moruya Ag, Horse & Pet  
Murrumbateman Rural Supplies  
NU RURAL - Quirindi  
Parkside Produce  
Precision Ag  
Produce Direct & Pet Centre  
Riverview Produce  
Sciberras Produce  
South East Rural Supplies  
Southern Quality Stockfeeds - Yanderra  
Southern Rural Traders  
Taralga Rural  
Welderup

### South Australia

Agfert

### Victoria

Ag Horse & Pet  
Bairnsdale Stockfeed  
Costello Rural  
Dindi Ag  
Dunstall's Superstore  
Macalister Tyre Service  
Mildura Stockfeeds  
Millers Agricultural Supplies  
Peter Davis Rural Supplies  
Steel Supplies Mildura  
Tafco Rural Supplies - Myrtleford  
Tallarook Rural Supplies  
Tully's Stockfeeds & Rural Supplies  
Wangaratta Rural Supplies  
Yan Yean Stock Feed



# Product Index

*The specifications are subject to change without prior notice.*

## Contact & Sales

### HEAD OFFICE

**1300 686517**

**0455 332519**

**[sales@brazzen.com.au](mailto:sales@brazzen.com.au)**

80 Mann Street  
Coolamon NSW 2701

<b>Cattle</b>	<b>4-25</b>
Head Bale	4
Crushes	4-8
Ramps	9-11
Cattle Permanent Post	11
Cattle Anti-Backing Bar	11
Panels	12-13
Race Walkway Mesh	13
Bows	14
Gates	15-21
Calf Tilting Cradle	21
Curved Race Panels	22
Access Grid/Premium Grid	22
Force Yards	23-24
Bud Box/Cattle Scale	25
<b>Combo Panels</b>	<b>26</b>
Combo Panels & Gates	26
<b>Pigs</b>	<b>27</b>
Pig Panel & Gate	27
<b>Sheep/Goat</b>	<b>28-35</b>
Ramps	28
Curved Race Kit	29
V-Race	30
Sheep Handler	31
Panels & Gates	32-34
Goat Panel & Gate	35
<b>Horses</b>	<b>36-38</b>
Panels & Gates	36-37
Shelter	38
<b>Feeders</b>	<b>39-46</b>
<b>ATV Trailer</b>	<b>47</b>
<b>Dog Pens</b>	<b>48-49</b>
<b>Chickens</b>	<b>49</b>

# We see different prices all over Australia for cattle panels.



## Why is this?

## What to look out for?



BRAZZEN, OVER THE YEARS HAS BECOME A DOMINANT PLAYER IN THE LIVESTOCK EQUIPMENT INDUSTRY.

- 1 Many panel weights are very light due to the gauges, the steel rails and posts are very thin. 1.1mm is now becoming the norm in cheap panels. They dent like an aluminium can. Brazzen Panels are all oval rails 1.5mm thick and the posts are 1.7mm. The standard panels are 36kg in total weight.
- 2 Some cattle panels will have 5 rails instead of 6 rails to save money. This is an old trick.
- 3 Some cattle panels have 60x30mm oval rails and 40x40mm posts.
- 4 Brazzen Cattle panels have 70x40mm oval rails and 50x50mm Posts. Many panels go with the half pin cleat instead of the full C cleat. Brazzen has the full C cleats on both sides and also has rubber in the cleat holes to stop the rattling noise of the pins.



**BE BRAZEN  
BUY BRAZZEN**

- 5 Most panels have a very low galvanized coating (Pre-gal) as low as 20grams per square meter of galvanising. (20gms m2)
- 6 Brazzen Posts are Hot Dipped Gal not a coating which is over 200gms m2 and the rails are over 80gms m2 for 60x30 & 70x40, and over 120gms m2 for 115x42
- 7 Brazzen also salt tests the welds to make sure they can withstand many hours of salt washing and the welders use splatter rubbers to stop weld splatter on the rails and posts which are hidden from gal paint and can eventually rust.
- 8 All Brazzen panels have the Brazzen logo on the caps of all the posts.

*If you have a farm and would like to make another income we are looking for dealers. Reach out if this is something you are interested in.*




Next time you choose a Cattle Panel you need to ask yourself if a Cattle Panel is a Brazzen Cattle Panel.



## HEAD BALE

- Ideal for use with two cattle panels and a sliding gate to create a budget crush
- Easy to operate ratchet system
- Head bale is 750mm inside and 850mm outside



• Optional Baulk Gate



HEAD BALE



HEAD BALE PREMIUM



HEAD BALE SELF-CATCHING

		Width	Depth	Height	Weight
Head Bale	<b>CHB</b>	850mm(2'9")	250mm(10")	2100mm(6'11")	120kg(265lb)
Head Bale Premium	<b>CHBP</b>	838mm(2'9")	264mm(10")	2100mm(6'11")	181kg(400lb)
Head Bale Self-Catching	<b>CHBSC</b>	1038mm(3'1")	359mm(14")	2022mm(6'7")	141kg(310lb)
Baulk Gate	<b>CGBAULK</b>	1000mm(3'3")	1000mm(3'3")	21kg(46lb)	

## HOBBY CRUSH

- Ideal for the hobby farmer
- Simple construction
- Portable
- Easy operating sliding gate
- Anti bruise oval rail panels

### Kit includes:

- 1x cattle head bale
- 2x cattle panels
- 1x cattle sliding gate

### You can DIY the Hobby Crush according to your request:

- Sliding Gate Options: Standard, Premium, Blind
- Cattle Head Bale Options: CHB, CHBK (CHBK only works on crush with vet section)
- Side Option: Two sides panel, two sides panel gate, or one side panel with one side panel gate, with vet section or without



		Width	Depth	Height	Weight
Hobby Crush	<b>CCH</b>	2500mm(8')	850mm(2'9")	2030mm(7'6")	260kg(573lb)



## HOBBY CRUSH WITH VET

### Kit includes:

- Standard Cattle Slide Gate 1xCGSS
- Standard Cattle Head Bale 1xCHB
- Crush Side Panel 3.0m 1xCPC3.0
- Crush Side Panel Gate 3.0m 1xCPGC3.0

	Width	Depth	Height
Hobby Crush with Vet	CCHV	3495mm(11'11")	850mm(2'9")



## HOBBY CRUSH BLINDED WITH VET

### Kit includes:

- Standard Cattle Slide Gate 1xCGSS
- Cattle Head Bale with Long Handle Kits 1xCHBK
- Crush Side Panel Blinded 3.0m 1xCPCB3.0
- Crush Side Panel Gate Blinded 3.0m 1xCPGCB3.0

	Width	Depth	Height
Hobby Crush Blinded with Vet	CCHBV	3490mm(11'11")	850mm(2'9")



## HOBBY CRUSH WITH SPLIT GATE

### Kit includes:

- Standard Cattle Slide Gate 1xCGSS
- Standard Cattle Head Bale 1xCHB
- Standard Cattle Gate Split 2.1m 1xCGSPL2.1
- Standard Cattle Panel 2.1m 1xCPS2.1

	Width	Depth	Height
Hobby Crush with Split Gate		2735mm(8'11")	850mm(2'9")





## STANDARD CRUSH


- Sheeted bottom side gates for operator and animal safety
- Triple top gates allowing full access along animal
- Auto lock rear sliding gate
- Adjustable rear handle
- Walk through vet section
- Supplied in flat pack



- Optional Small And Large Floor For STANDARD and PREMIUM Crush

		Length	Depth	Height	Weight
Standard Crush	CCSF	3622mm(11.89')	850mm(2'9")	2030mm(7'6")	640kg(1411lb)
Chin Lift	CCL				46kg(101lb)


- Optional Chin Lift of STANDARD and PREMIUM Crush
- Offside Chin Lift Available





## PREMIUM CRUSH

- 3mm gauge steel frame
- Walk through vet section
- Kick latch
- Rump squeeze
- New design allows safer access to rear of animal
- Triple top gates allowing full access along animal
- Double lower doors on each side for hoof access
- Sheet metal sliding gate
- Long ratchet rump bar mechanism
- Auto lock rear sliding gate
- Supplied in flat pack



CCFL + CCFS


		Length	Depth	Height	Weight
Premium Crush	<b>CCFP</b>	3622mm(11.89')	850mm(2'9")	2030mm(7'6")	686kg(1512lb)
Floor - Large	<b>CCFL</b>	2055mm(6'8")	743mm(2'5")	50mm(2")	53kg(454lb)
Floor - Small	<b>CCFS</b>	910mm(3')	745mm(2'5")	50mm(2")	24kg(265lb)

• Optional Small And Large Floor For  
STANDARD and PREMIUM Crush



## PREMIUM FULL SQUEEZE CRUSH

- Sheeted head bale & bottom side gates for operator and animal safety
- Auto lock rear sliding gate
- Innovative silent operation
- Walk through vet section
- Parallel squeeze
- 2x large access doors
- Neck inspection doors
- Front & rear head bale operation
- Supplied in flat pack



Ensure the Crush is bolted down if the roof is attached.

- Optional Small and Large Roof for STANDARD, PREMIUM and SQUEEZE Crush

		Length	Width	Height	Weight
Squeeze Crush	<b>CCPSFP</b>	3630mm(11'11")	850mm(2'9")	2400mm(7'10")	1070kg(2359lb)
Roof - Large	<b>RCL</b>	4180mm(13'8")	4260mm(13'11")		206kg(454lb)
Roof - Small	<b>RCS</b>	2300mm(7'6")	3770mm(12'4")		120kg(265lb)



## ADJUSTABLE RAMP

- Fully adjustable height for trailer to truck loading
- Designed to suit all cattle yards
- Ramps available with detachable walkways on request
- Minimum height - 680mm
- Maximum height - 1270mm



Optional Walkway Kit Available



STANDARD RAMP



Optional Walkway Kit With Safety Rail Available




STANDARD RAMP WITH MOBILE KIT



PREMIUM RAMP

		Length	Depth	Height	Weight
Standard Ramp	<b>CRFP</b>	3280mm(10'9")	850mm(2'9")	3350mm(11')	332kg(732lb)
Premium Ramp	<b>CRPFP</b>	3280mm(10'9")	850mm(2'9")	3350mm(11')	387kg(853lb)
Standard Ramp WPC	<b>CRTFFP</b>	3280mm(10'9")	850mm(2'9")	3350mm(11')	394kg(872lb)
Premium Ramp WPC	<b>CRPTFFP</b>	3280mm(10'9")	850mm(2'9")	3350mm(11')	449kg(993lb)
Walkway Kit With Safety Rail	<b>CRWK600F</b>	3131mm(10'3")	660mm(2'2")	1800mm(5'11")	98kg(216lb)
Walkway Kit	<b>CRWK</b>	3450mm(11'4")	310mm(1')		39kg(86lb)
Cattle Ramp Mobile Kit	<b>CRKM</b>				68kg(150lb)



Mobile Kit



## HEAVY DUTY CATTLE RAMP

- Heavy-duty steel construction ensures it can handle even the toughest outdoor conditions
- Overall size: 5370 x 3000 mm (H)
- 3360 mm ramp with a 2000 mm level extension for easy loading
- 1200 mm fixed loading height
- 900 mm anti-slip walkway with a safety rail
- 2 access gates on the top to shut off the truck and/or ramp
- Detachable side walkway that can be placed on the left or right side
- Rubber contact points added to protect your ramp and truck



Length	Depth	Height	Weight
--------	-------	--------	--------

Heavy Duty Cattle Ramp CRHWK 5370mm(17'7") 1840mm(6') 3300mm(10'9") 900kg(1984lbs)



## PREMIUM MOBILE RAMP

- Robust construction
- 1x3.6m mobile cattle ramp
- Ideal for moving around property
- Holds 12x portable cattle panels (not included)
- The premium floor is WPC board which is a durable and long lasting material used to replace timber



	Length	Depth	Height	Weight
--	--------	-------	--------	--------

**PANELS NOT INCLUDED WHEN ORDERING**

Premium Mobile **CRPM**

5330mm(17'6") 2240mm(7'4") 2680mm(8'9") 696kg(1534lb)

## CATTLE PERMANENT POST




	Length	Width	Height
--	--------	-------	--------

Cattle Permanent Post

**CPPH**

65mm(2.56") 65mm(2.56") 2600mm(8'6")

## CATTLE ANTI-BACKING BAR



	Length	Height	Weight
--	--------	--------	--------

Cattle Anti-Backing Bar **CBAB**

1145mm(3'9") 920mm(3') 23kg(53lb)





## CATTLE PANELS

### Budget Panel

This middle of the range panel is equipped with:

- 6x oval 60 x 30 (2.36" x 1.18") rails
- 2 SHS 40 x 40 (1.57" x 1.57") posts
- 4 easy to connect lugs
- 2 holes for ground pins

### Standard Panel

This strong heavy duty panel is equipped with:

- 6x oval 70 x 45 (2.75" x 1.57") rails
- 2 SHS 50 X 50 (2" x 2") posts
- 4 easy to connect lugs
- 2 holes for ground pins

### Budget Panel


This middle of the range panel is equipped with:

- 6x oval 60 x 30 (2.36" x 1.18") rails
- 2 SHS 40 x 40 (1.57" x 1.57") posts
- 4 easy to connect lugs
- 2 holes for ground pins

### Standard Panel

This strong heavy duty panel is equipped with:

		Horizontal	Uprights	Rails	Length	Height	Weight
Budget Panel	<b>CPB2.1</b>	60x30	40x40	6	2100mm(6'11")	1800mm(5'11")	32kg(71lb)
Standard Panel	<b>CPS1.25</b>	70x40	50x50	6	1250mm(4'1")	1800mm(5'11")	24.8kg(55lb)
Standard Panel	<b>CPS2.1</b>	70x40	50x50	6	2100mm(6'11")	1800mm(5'11")	36kg(79lb)
Standard Panel	<b>CPS2.4</b>	70x40	50x50	6	2400mm(7'10")	1800mm(5'11")	40kg(88lb)
Standard Panel	<b>CPS3.35</b>	70x40	50x50	6	3350mm(11')	1800mm(5'11")	50kg(110lb)
Standard Panel	<b>CPS3.65</b>	70x40	50x50	6	3650mm(12')	1800mm(5'11")	54kg(119lb)
Premium Panel	<b>CPP1.25</b>	115x40	50x50	6	1250mm(4'1")	1800mm(5'11")	34kg(75lb)
Premium Panel	<b>CPP2.1</b>	115x40	50x50	6	2100mm(6'11")	1800mm(5'11")	46kg(101lb)
Premium Panel HDG	<b>CPP2.1H</b>	115x40	50x50	6	2100mm(6'11")	1800mm(5'11")	47.5kg(105lb)
Premium Panel	<b>CPP2.4</b>	115x40	50x50	6	2400mm(7'10")	1800mm(5'11")	52kg(115lb)
Premium Panel HDG	<b>CPP2.4H</b>	115x40	50x50	6	2400mm(7'10")	1800mm(5'11")	53kg(117lb)
Premium Panel	<b>CPP3.35</b>	115x40	50x50	6	3350mm(11')	1800mm(5'11")	70kg(154lb)
Premium Panel HDG	<b>CPP3.35H</b>	115x40	50x50	6	3350mm(11')	1800mm(5'11")	72kg(159lb)




BUDGET



STANDARD



PREMIUM




## SHEETED CATTLE PANEL



## CREEP FEEDER PANEL

- Designed with an adjustable horizontal bar for calf-only access
- Ideal for use between pastures and sheds for targeted calf feeding
- Suitable for both small and large herds
- Comes with pins on both ends to connect seamlessly with any Brazzen panel or gate
- Each panel includes 6 calf access openings
- Includes a D-pin for easier and quicker height adjustment



## RACE WALKWAY MESH

- Race walkway mesh is designed to assist with maximum access to the cattle while they are in the race, therefore giving you safe access above the cattle

	Width	Weight
Race Mesh <b>CRWW</b>	2100mm(6'11")	19kg(42lb)





## RACE BOWS

- Assists with maintaining a sturdy race
- Stops race from spreading under pressure



SINGLE RACE BOW



ADJUSTABLE DOUBLE RACE GATE



DOUBLE RACE WALKWAY BOW

		Length	Height	Weight
Single Race Bow	CRB	850mm(2'9")	2200mm(7'3")	18kg(40lb)
Double Race Bow	CRBD	2100mm(6'11")	2590mm(8'6")	44kg(97lb)
Adjustable Double Race Gate	CRBDA	2100mm(6'11")	2590mm(8'6")	85kg(187lb)



## R360 CATTLE GATE


- Comes with both chain & slam latch
- Gate will swing in both directions
- INNOVATION design - 360 Degrees



		Length	Depth	Height
2.1 Standard 360 Degrees	<b>CGS2.1-R360</b>	2100mm(6'11")	50mm(2")	2200mm(7'3")
2.1 Premium 360 Degrees	<b>CGP2.1-R360</b>	2100mm(6'11")	50mm(2")	2200mm(7'3")
3.0 Standard Single 360 Degrees	<b>CGSS3.0-R360</b>	3000mm(9'10")	60mm(2.36")	2200mm(7'3")
3.0 Premium Single 360 Degrees	<b>CGPS3.0-R360</b>	3000mm(9'10")	60mm(2.36")	2200mm(7'3")

## SPEAR TRAP GATE

- Designed for self mustering
- Ideal for decreasing handling & increasing mustering efficiency on large properties
- Reduces stress on both the animal and handler
- Arms are removable
- Effective and easy to install into an existing portable yard



	Width	Depth	Height	Weight
Spear Trap Gate	<b>CGST</b>	1150mm(3'9")	132mm(5")	2000mm(6'7") 90kg(198lb)



## CATTLE GATES


- Comes with both chain and slam latch
- Gate will swing in both directions



STANDARD 4.2 DOUBLE



STANDARD 3.0 GATE



PREMIUM 4.2 GATE

		Length	Depth	Height	Weight
2.1 Standard	<b>CGS2.1</b>	2100mm(6'11")	50mm(2")	2200mm(7'3")	66kg(146lb)
2.1 Premium	<b>CGP2.1</b>	2100mm(6'11")	50mm(2")	2200mm(7'3")	76kg(168lb)
3.0 Standard Double	<b>CGSD3.0</b>	3000mm(9'10")	50mm(2")	2200mm(7'3")	118kg(260lb)
3.0 Standard Single	<b>CGSS3.0</b>	3000mm(9'10")	50mm(2")	2200mm(7'3")	116kg(256lb)
3.0 Premium Double	<b>CGPD3.0</b>	3000mm(9'10")	50mm(2")	2200mm(7'3")	133kg(293lb)
3.0 Premium Single	<b>CGPS3.0</b>	3000mm(9'10")	50mm(2")	2200mm(7'3")	127kg(280lb)
4.2 Standard Double	<b>CGSD4.2</b>	4200mm(13'9")	50mm(2")	2200mm(7'3")	145kg(320lb)
4.2 Standard Single	<b>CGSS4.2</b>	4200mm(13'9")	50mm(2")	2200mm(7'3")	192kg(423lb)
4.2 Premium Single	<b>CGPS4.2</b>	4200mm(13'9")	50mm(2")	2200mm(7'3")	210kg(463lb)



STANDARD 2.1 GATE



## MAN PANEL GATE

- Designed for easy access between yards
- Fast exit from yards



PREMIUM MAN-PANEL GATE

	Width	Depth	Height	Weight
Standard Man <b>CGMS2.1</b>	2100mm(6'11")	50mm(2")	2200mm(7'3")	59kg(130lb)
Premium Man <b>CGMP2.1</b>	2100mm(6'11")	50mm(2")	2200mm(7'3")	70kg(154lb)
Standard Man <b>CGMS2.4</b>	2400mm(7'10")	50mm(2")	2200mm(7'3")	63kg(139lb)
Premium Man <b>CGMP2.4</b>	2400mm(7'10")	50mm(2")	2200mm(7'3")	76kg(168lb)

## ACCESS GATE

- Ideal for use in workers alley, or access to yards
- Comes with both chain and slam latch
- Handy lugs for ground pinning



STANDARD ACCESS GATE

	Width	Depth	Height	Weight
Standard Access <b>CGAS</b>	1250mm(4'1")	50mm(2")	2200mm(7'3")	48kg(106lb)
Premium Access <b>CGPA</b>	1250mm(4'1")	50mm(2")	2200mm(7'3")	56kg(123lb)
Standard Combo Bent Top Access Gate 1.25m <b>C/SGAS</b>	1250mm(4'1")	50mm(2")	2200mm(7'3")	55kg(121lb)

## STANDARD CATTLE GATE SPLIT 2.1M



	Length	Depth	Height	Weight
Split 2.1m <b>CGSPL2.1</b>	2100mm(6'11")	50mm(2")	2200mm(7'3")	68kg(150lb)



## 2 WAY RACE GATE

- Easy operation
- Designed to assist with sorting and separating cattle with a minimal of stress on the animals
- Fully sheeted sides to help minimise cattle distraction
- Can be operated from both sides



	Length	Width	Height	Weight
2 Way Race Gate <b>CGR2W</b>	1642mm(5'5")	1653mm(5'5")	2100mm(6'11")	168kg(370lb)

## CATTLE 3 WAY DRAFTING GATE

- Galvanised construction
- Robust construction
- Animal Friendly
- Handy lugs for ground pinning
- Designed to improve speed of stock flow easy operation



	Length	Depth	Height
Cattle 3 Way Drafting Gate <b>C3WD</b>	2385mm(7'9")	850mm(2'9")	2113mm(6'11")



## 5 RAIL DRIVEWAY GATES

- End posts are square 50 x 50 and 14 gauge
- Made from our premium oval rails 101 x 50 and 16 gauge, each rail almost has a 5 inch face on them
- Total 5 rails and with vertical strengthening square tubes to ensure this gate will never bend or break, they all come with 4 long bolt through L hinges to carry the weight



		Length	Height	Rails
Driveway Gate 8.0	<b>DGP8/4.2-5</b>	2438mm(8')	1270mm(4'2")	5
Driveway Gate 10	<b>DGP10/4.2-5</b>	3048mm(10')	1270mm(4'2")	5
Driveway Gate 12	<b>DGP12/4.2-5</b>	3658mm(12')	1270mm(4'2")	5
Driveway Gate 14	<b>DGP14/4.2-5</b>	4267mm(14')	1270mm(4'2")	5
Driveway Gate 16	<b>DGP16/4.2-5</b>	4877mm(16')	1270mm(4'2")	5

## 6 RAIL DRIVEWAY GATES

- This cowboy latch is made for all you cowboys out there. Mount it on the gate and you won't even have to get out of the saddle to open it.

- Heavy-duty steel construction. It could be used on Brazzen standard, premium driveway gates and mesh driveway gates 1473mm long handle




		Length	Height	Rails
Driveway Gate 8.0	<b>DGP8/5.1-6</b>	2438mm(8')	1549mm(5'1")	6
Driveway Gate 10	<b>DGP10/5.1-6</b>	3048mm(10')	1549mm(5'1")	6
Driveway Gate 12	<b>DGP12/5.1-6</b>	3658mm(12')	1549mm(5'1")	6
Driveway Gate 14	<b>DGP14/5.1-6</b>	4267mm(14')	1549mm(5'1")	6
Driveway Gate 16	<b>DGP16/5.1-6</b>	4877mm(16')	1549mm(5'1")	6

## MESH DRIVEWAY GATES



		Length	Height	Rails	Weight
Mesh Driveway Gate 4.0	<b>DGBM4/4.5-5</b>	1219mm(4')	1345mm(4'6")	5	27kg(60lb)
Mesh Driveway Gate 8.0	<b>DGBM8/4.5-5</b>	2438mm(8')	1345mm(4'6")	5	37kg(82lb)
Mesh Driveway Gate 10	<b>DGBM10/4.5-5</b>	3048mm(10')	1345mm(4'6")	5	42kg(93lb)
Mesh Driveway Gate 12	<b>DGBM12/4.5-5</b>	3658mm(12')	1345mm(4'6")	5	48kg(106lb)
Mesh Driveway Gate 14	<b>DGBM14/4.5-5</b>	4267mm(14')	1345mm(4'6")	5	55kg(121lb)
Mesh Driveway Gate 16	<b>DGBM16/4.5-5</b>	4877mm(16')	1345mm(4'6")	5	60kg(133lb)





## ADJUSTABLE TOP 6 RAIL CATTLE GATE

- 6 Rails
- Height adjustable to 3.0m allowing the option to ride through gates
- Gate is hinged to swing in both directions



		Horizontal	Uprights	Rails	Height	Width	Weight
2.1 Budget	<b>CGBA</b>	60x30	50x50	6	3000mm(9'10")	2100mm(6'10")	66kg(146lb)
2.1 Standard	<b>CGSA</b>	70x40	50x50	6	3000mm(9'10")	2100mm(6'10")	70kg(154lb)

## 2 WAY SLIDING CATTLE GATE

- This sliding gate can be operated from both sides or locked off for single side operation



	Width	Depth	Height	Weight
2 Way Sliding Gate	<b>CG2WS</b>	850mm(2'9")	370mm(1'3")	1970mm(6'5") 96kg(212lb)



## SLIDING CATTLE GATE

- Ideal for use with two cattle panels and a sliding gate to create a budget crush
- Easy operation with roller sliding

**Suggestion for use:**

- 1x Sliding Gate
- 1x Head Bale
- 2x Standard panels



PREMIUM SLIDE GATE



STANDARD SLIDE GATE



BLIND CATTLE SLIDE GATE

## CALF TILTING CRADLE

- Secure holding
- Three independent drop-down slam gates provide full access to the calf
- Reversible design accommodates both right and left side use
- Designed for safety and to make yard work easier for stock handlers



Width      Depth      Height      Weight

Calf Cradle	CCCT	1650mm(5'5")	1410mm(4'7.5")	1522mm(5')	165kg(364lb)
-------------	------	--------------	----------------	------------	--------------



## CURVED RACE PANELS

- Designed to improve speed of stock flow
- Minimal distractions



		Curve Width	Radius	Depth	Height	Weight
Standard Outer	<b>CPCO</b>	3235mm(10'7")	3810mm(12'6")	426mm(1'4")	1800(5'11")	86kg(190lb)
Standard Inner	<b>CPCI</b>	2875mm(9'9")	3390mm(11'1")	426mm(1'4")	1800(5'11")	60kg(205lb)

## ACCESS GRID


- Animal friendly
- Designed with 5 bearers and 12 rails
- Removable wings - sold separately



		Width	Depth	Height	Weight
Grid 3.0	<b>CG3</b>	3000mm(9'10")	2200mm(7'2")	300mm(1")	350kg(772lb)
Grid 4.0	<b>CG4</b>	4000mm(13'1")	2200mm(7'2")	300mm(1")	444kg(979lb)
Grid Wings	<b>CGW</b>	2100mm(6'11")		1250mm(4'1")	72kg(159lb)

## PREMIUM CATTLE GRID

- Animal Friendly
- Designed with 13 rails and 9/12 bearers
- In compliance with AS5100.2, engineered and weight rated
- Removable wings (sold separately)




		Width	Depth	Height	Weight
3m Premium Cattle Grid	<b>CGP3</b>	3000mm(9'10")	2000mm(6'7")	320mm(1")	632kg(1393lb)
4m Premium Cattle Grid	<b>CGP4</b>	4000mm(13'1")	2000mm(6'7")	320mm(1")	834kg(1839lb)



## STANDARD FORCE

- The force yard allows the handler to push cattle into the race system with minimal risk to the handler
- Innovative braking system stops the cattle from pushing the gate back therefore protecting the operator
- The curved layout works with the natural behaviour of how cattle run and tend to circle back to where they came from
- Standard Slide Gate Available



## OFFSIDE FORCE AVAILABLE

- When using an offside force yard and a standard crush, the force yard requires the walkway to allow operation from the outside in line with crush operation

		Width	Depth	Height	Weight
Blind - Counter Clockwise	<b>CFYB</b>	6300mm(20'8")	3241mm(10'8")	2360mm(7'9")	678kg(1495lb)
Blind - Clockwise	<b>CFYBO</b>	6300mm(20'8")	3241mm(10'8")	2360mm(7'9")	678kg(1495lb)
Walkway Kits	<b>CFYBWK</b>				111kg(246lb)
90 - Counter Clockwise	<b>CFYB90</b>	3251mm(10'8")	3251mm(10'8")	2360mm(7'9")	504kg(1111lb)
90 - Clockwise	<b>CFYBO90</b>	3251mm(10'8")	3251mm(10'8")	2360mm(7'9")	504kg(1111lb)



## FORCE YARD WITH CURVED EXIT

- Reduced livestock stress: The curved exit obscures cattle's line of sight to equipment in front (like crushes and head bales) which reduces their stress and resistance/backing up, lowering the risk of injury to both animals and farmers.
- Higher efficiency: The curved exit works with the natural movement behavior of cattle, guiding them to move forward smoothly without frequent manual herding. This cuts handling time significantly.
- Improved safety: Limits animals' turning space, reducing close-contact risks for handlers.
- Versatility: Adapts to various livestock sizes and integrates seamlessly with Brazzen yard systems.



Width	Depth	Height	Weight
-------	-------	--------	--------

Force Yard With Curved Exit	CFYBCE	6395mm(21')	5803mm(19'5")	2360mm(7'9")	811kg(1788lb)
-----------------------------	--------	-------------	---------------	--------------	---------------



## BUD BOX

- Designed to improve speed of stock flow



Length	Width	Height	Weight
--------	-------	--------	--------

Bud Box **CBBY-10** 6299mm(20'8") 4851mm(15'11") 3048mm(10') 921kg(2030lb)

## CATTLE SCALE LOAD BAR

- Works with all Brazzen crushes – Standard, Premium, and Squeeze
- 5,000 kg / 11,000 lbs capacity for heavy-duty performance
- Hot-dip galvanized & IP67-rated for durability in harsh conditions
- Compatible with Brazzen and other leading indicators (no calibration needed)

Cattle Scale **CSB**





# COMBO PANEL & GATE



## COMBO GATES


### Standard

- 8 Rails 70mm x 40mm Oval Rail
- 2 Post 50mm x 50mm Posts

Fits all livestock types including cattle, horses, sheep, and goats.

### Budget

- 8 Rails 60mm x 30mm Oval Rail
- 2 Post 40mm x 40mm Posts



STANDARD GATE



BUDGET COMBO GATE

		Length	Height	Weight
Standard Combo Gate	C/SGS2.1	2100mm(6'11")	2200mm(7'3")	77kg(170lb)
Budget Combo Gate	C/SGBA	2100mm(6'11")	3000mm(9'10")	69kg(152lb)

## COMBO PANELS


### Standard

- 8 Rails 70mm x 40mm Oval Rail
- 2 Post 50mm x 50mm Posts


Fits all livestock types including cattle, horses, sheep, and goats.

### Budget

- 8 Rails 60mm x 30mm Oval Rail
- 2 Post 40mm x 40mm Posts



STANDARD PANEL



BUDGET PANEL

		Length	Height	Weight
Standard Combo Panel	C/SPS2.1	2100mm(6'11")	1800mm(5'11")	49kg(108lb)
Budget Combo Panel	C/SPB2.1	2100mm(6'11")	1800mm(5'11")	39kg(86lb)



## PIG PANEL

- Vertical slats to discourage climbing



	Length	Height	Weight
Pig Panel 2.1m <b>PP6.6-6</b>	2000mm(6'6")	1041mm(3'5")	24kg(53lb)

## PIG GATE

- Flip Latch and Chain Latch



	Length	Height	Weight
Pig Gate 2.1m <b>PG6.6-6</b>	2000mm(6'6")	1092mm(3'7")	50kg(110lb)



## SHEEP LOADING RAMP

- Manufactured from galvanised steel
- Handy lugs for ground pinning
- Fully sheeted
- Fully adjustable height for trailer to truck loading



STANDARD SHEEP RAMP



OPTIONAL WALKWAY  
KIT AVAILABLE

## RUSTLER RAMP

- 3 piece design easily flat packed for transport
- Ideal for use with a chute or trailer



		Length	Width	Height	Weight
Rustler Ramp	SFL	2300mm(7'6")	600mm(2')	900mm(3')	94kg(207lb)



## CURVED RACE KIT

- Assisting to process a large number of stock at a faster rate, improving productivity
- Reduces animal stress
- Sheep will move forward looking for an opening



	Length	Width	Height	Weight
Race Curved Kit <b>SRCK</b>	5010mm(16'5")	2500mm(8'2")	1100mm(3'7")	280kg(617lb)





## ADJUSTABLE V-RACE

- Manufactured from galvanised steel
- Fully sheeted
- The 'v' profile minimises the chance of small stock turning around in the race
- Races have a fully sheeted outer arc (prevents legs and heads getting out, and improves stock flow)
- Races are made without overhead bracing. This eliminates the danger of an operator getting his arm caught between the yard and beast

### 2 or 3 Way Sheep Draft Gate

- Assisting to process a large number of stock at a faster rate, improving productivity



3-WAY SHEEP DRAFT GATE



2-WAY SHEEP DRAFT GATE

		Length	Width	Height	Weight
3-Way Sheep Draft Gate	<b>SG3W</b>	1056mm(3'5")	1050mm(3'5")	1230mm(4')	86kg(190lb)
2-Way Sheep Draft Gate	<b>SG2W</b>	1324mm(4'4")	1233mm(4')	1030mm(3'5")	106(244lb)



MOBILE ADJUSTABLE V-RACE




PANELS NOT INCLUDED  
WHEN ORDERING

		Length	Depth	Height	Weight
Sheep Race	<b>SRA</b>	3410mm(11'2")	540mm(1'9")	1020mm(3'4")	186kg(410lb)
Mobile Race	<b>SRMY</b>	4320mm(14'2")	2250mm(7'4")	1560mm(5'1")	436(961lb)



## SHEEP HANDLER

SHEEP HANDLER WITH YARD



- Designed to Improve the efficiency of managing your sheep or goats
- Comes with 4 adjustment gears, to accommodate all stock sizes
- Comes with slide gate front and back
- Easy to tip sheep/goat up at a safe working height and do handling work
- Supplied in Flat Pack



	Length	Width	Height	Weight
Sheep Handler <b>SGH</b>	1760mm(5'9")	1206mm(3'11")	1206mm(3'11")	142kg(313lb)



## BRAZZEN 7 RAIL

- 7 rail - 32od pipe
- Manufactured from galvanised steel
- Light weight
- Ideal for portable yards



BRAZZEN SHEEP PANEL

		Rail	Uprights	Height	Width	Weight
Economy Sheep Panel	<b>SPB10/3.3-7</b>	25OD	32OD	1000mm(3'3")	3000mm(9'10")	20kg(44lb)
Brazzen 3.0	<b>SPB-7</b>	32OD	32OD	1000mm(3'3")	3000mm(9'10")	28kg(62lb)
Brazzen 2.0	<b>SPB-7-2.0</b>	32OD	32OD	1000mm(3'3")	2000mm(6'6")	20kg(44lb)
Brazzen Blind 1.0	<b>SPBB1.0</b>	32OD	32OD	1000mm(3'3")	1000mm(3'3")	19kg(42lb)
Brazzen Blind 2.0	<b>SPBB2.0</b>	32OD	32OD	1000mm(3'3")	2000mm(6'6")	32kg(70lb)
Brazzen Blind 3.0	<b>SPBB3.0</b>	32OD	32OD	1000mm(3'3")	3000mm(9'10")	42kg(93lb)

## BRAZZEN GATES



1M DRAFT GATE



RACE BOW



SHEEP GATE THROW LATCH



RACE GATE



ANTI-BACKING WING



BRAZZEN SHEEP GATE

		Rail	Uprights	Height	Width	Weight
Economy Sheep Gate	<b>SGB10/3.3-7</b>	25OD	50x50	1000mm(3'3")	3000mm(9'10")	43kg(95lb)
Brazzen Gate 2.0	<b>SGB2.0</b>	32OD	50x50	1000mm(3'3")	2000mm(6'6")	39kg(86lb)
Brazzen Gate 3.0	<b>SGB3.0</b>	32OD	50x50	1000mm(3'3")	3000mm(9'10")	54kg(119lb)
Brazzen Draft	<b>SGB1.0</b>	32OD	50x50	1000mm(3'3")	1000mm(3'3")	20kg(44lb)
Race Gate	<b>SGR</b>	32OD	50x50	1000mm(3'3")	550mm(1'9")	17kg(37lb)
Race Bow	<b>SRB</b>		50x50	1100mm(3'7")	550mm(1'9")	8kg(18lb)
Perm. Post	<b>SPP</b>		50x50	1885mm(6'2")		10kg(22lb)
Sheep Anti Backing Bars	<b>SBAB</b>					3.9kg(9lb)

PERMANENT POST



## PREMIUM SHEEP PANELS


- Manufactured from galvanised steel
- Blind panels are designed to reduce distractions and improve the flow of stock
- Wide top rail for operator comfort when leaning over or accessing yard to yard
- Lamb proof rail spacing
- Height is 1100mm
- Panels can be used in permanent or portable applications




GUILLOTINE LIFT-UP SHEEP GATE



PREMIUM BLIND SHEEP PANEL



PREMIUM SHEEP PANEL



PREMIUM SHEEP GATE

## SHEEP GATES

- Manufactured from galvanised steel
- Premium gates are manufactured with 60x30 oval rails and 40x40 posts
- Sliding gates come supplied as conventional push in types, or as push out type




SLIDING SHEEP GATE

		Rail	Uprights	Height	Width	Weight
Premium 1.0	<b>SPP1.0</b>	60x30	40x40	1100mm(3'7")	1000mm(3'3")	13kg(29lb)
Premium 2.0	<b>SPP2.0</b>	60x30	40x40	1100mm(3'7")	2000mm(6'6")	24kg(53lb)
Premium 3.0	<b>SPP3.0</b>	60x30	40x40	1100mm(3'7")	3000mm(9'10")	34kg(75lb)
Premium with Man Gate 3.0	<b>SGPA3.0</b>	60x30	50x50	1100mm(3'7")	3000mm(9'10")	47kg(104lb)
Blind 1.0	<b>SPPB1.0</b>	60x30	40x40	1100mm(3'7")	1000mm(3'3")	17kg(37lb)
Blind 2.0	<b>SPPB2.0</b>	60x30	40x40	1100mm(3'7")	2000mm(6'6")	32kg(71lb)
Blind 3.0	<b>SPPB3.0</b>	60x30	40x40	1100mm(3'7")	3000mm(9'10")	44kg(97lb)
Premium Race	<b>SGPR</b>	60x30	50x50	1100mm(3'7")	550mm(1'9")	20kg(44lb)
Premium Draft	<b>SGP1.0</b>	60x30	50x50	1123mm(3'8")	1000mm(3'3")	30kg(66lb)
Premium Gate 2.0	<b>SGP2.0</b>	60x30	50x50	1123mm(3'8")	2000mm(6'6")	43kg(95lb)
Premium Gate 3.0	<b>SGP3.0</b>	60x30	50x50	1123mm(3'8")	3000mm(9'10")	59kg(130lb)
Sliding Gate	<b>SGPS</b>	50x25	30x30	1135mm(3'8")	765mm(2'6")	30kg(66lb)
Guillotine Gate	<b>SGG</b>	40x40	20x20	2160mm(7'1")	650mm(2'1")	34kg(75lb)
Optional Guillotine Gate Kit	<b>SGGK</b>					



## SHEEP PREMIUM DRENCH RACE PANEL

- 6 rails 60/30 oval tubes
- 2 posts 40/40 square posts
- Top rail is demountable




Length	Height
--------	--------

Sheep Premium Drench Race Panel 3.0m **SPPD3.0** 3000mm(9'10") 1100mm(3'7")

## SHEEP MARKING PANEL

- HPost: 40 x 40 x 1.7mm square tube
- Rails: 60 x 30 x 1.5mm oval tube
- Top 2 rails would drop down




Length	Height
--------	--------

Sheep Marking Panel **SPPM3.0** 3000mm(9'10") 1100mm(3'7")



## GOAT PANEL

- Outer frame made by od32x1.5mm pipe
- Inside 7 rail made by od25x1.3mm
- C clug provided
- Mid-plate welded on



		Length	Height	Weight
Goat Panel 2.0	<b>GP2.0</b>	2000mm(6'7")	1250mm(4'1")	18kg(39lb)
Goat Panel 3.0	<b>GP3.0</b>	3000mm(9'10")	1250mm(4'1")	25kg(55lb)

## GOAT GATE

- Frame's bottom rail made by 50x50x2.5mm HDG tube
- Panel frame made by od 32x1.5mm, 7 rail od25x1.3mm pipe
- Uprights 50x50x1.7mm HDG tube
- C clug provided
- Chain lock system provided



		Length	Height	Weight
Goat Gate 2.0	<b>GG2.0</b>	2000mm(6'7")	1350mm(4'5")	35kg(77lb)
Goat Gate 3.0	<b>GG3.0</b>	3000mm(9'10")	1350mm(4'5")	45kg(99lb)



## HORSE PANELS

### Round Yard Diameter Specifications (Approx.)

10m	13 Panels Plus 1 Gate = 14 Units
12m	15 Panels Plus 1 Gate = 16 Units
13m	17 Panels Plus 1 Gate = 18 Units
14m	19 Panels Plus 1 Gate = 20 Units
16m	21 Panels Plus 1 Gate = 22 Units
17m	23 Panels Plus 1 Gate = 24 Units
18m	25 Panels Plus 1 Gate = 26 Units
20m	27 Panels Plus 1 Gate = 28 Units



HORSE PANEL

	Horizontal	Uprights	Rails	Height	Width	Weight
Horse Panel	HP2.1	60x30	40x40	5	1650mm(5'5")	2100mm(6'10")

## HIGH TOP HORSE GATE

- Height adjustable to 3.0m allowing the option to ride through gates
- Gate is hinged to swing in both directions





	Horizontal	Uprights	Rails	Height	Width	Weight
Horse Gate	HGA	60x30	50x50	5	3000mm(9'10")	2100mm(6'10")



## **HORSE FLOAT PANEL**

- Powder coated
- Ideal for temporary holding yards
- Portable light weight panels
- 2x panel pieces make a 2m holding pen



	<b>Height</b>	<b>Width Folded</b>	<b>Width Flat</b>	<b>Weight</b>
Horse Float Panel <b>HFP2.0</b>	1250mm(4'1")	2000mm(6'6")	4000mm(13'1")	18kg(40lb)



## DOUBLE ANIMAL/HORSE SHELTER

- Suitable shelter for animals, stock feed and machinery
- Providing shelter along with air flow for all conditions
- Lined with heavy duty marine ply to protect stock from injury
- Supplied in flat pack
- Anchor plates so you can bolt the shelter down
- Handy lugs on the front so you can attach a gate/s



## SINGLE ANIMAL/HORSE SHELTER

### CONFIGURATION OPTIONS:

1. Basic Design with Roof, No Mesh, No Sheet , No Front Panel/Gate
2. With Mesh
3. With Mesh with Sheet
4. With Mesh with Steel Gate/Panel
5. With Sheet with Steel Gate/Panel
6. With Mesh with Sheet With Steel Gate/Panel
7. With Mesh with Plywood Panel & Gate
8. With Sheet with Plywood Panel & Gate
9. With Mesh with Sheet With Plywood Panel & Gate
10. Foot Pegs Are Optional



**Foot Pegs FPR457**  
\* Pegs are optional for all horse shelters

		Width	Depth	Height	Weight
3m Horse Shelter - Single	<b>HS3/3</b>	3000mm(9'10")	3000mm(9'10")	2680mm(8'9")	465kg(1025lb)
4m Horse Shelter - Single	<b>HS4/4</b>	4000mm(13'1")	4000mm(13'1")	2680mm(8'9")	673kg(1484lb)

Please check with us for other configuration item codes.



## ROUND HAY FEEDER

- Holds 6 ft round bales
- Feeds up to 14 animals simultaneously
- 3 piece construction makes it easy to relocate (3x FRP makes one ring)
- Manufactured from hot dipped galvanised pipe



	Width	Height	Weight
FRP	2000mm(6'6")	1050mm(3'5")	33kg(73lb)

## RECTANGLE HAY FEEDER

- Holds 2x6 ft round bales
- Feeds up to 20 animals simultaneously
- 4 piece construction makes it easy to relocate (2x FRP +2x FSP makes one ring)
- Manufactured from hot dipped galvanised pipe



	Width	Depth	Height	Weight
FSP	3477mm(11'4")	1791mm(5'9")	1050mm(3'4")	36kg(79lb)



## **SQUARE BALE CRADLE FEEDER**

- Holds large rectangle bales
- Keeps bales raised off the ground
- Manufactured from hot dipped galvanised pipe



**FSC/R Optional  
Rubber Sheet**



	Width	Depth	Height	Weight
<b>FSC</b>	2900mm(9'6")	1500mm(4'11")	1080mm(3'6")	142kg(313lb)
<b>FSC/R</b>	2900mm(9'6")	1500mm(4'11")	1080mm(3'6")	172kg(379lb)

## **DIAGONAL FEEDER**

- Holds large rectangle bales
- Keeps bales raised off the ground
- Manufactured from pre-galvanised material



	Width	Length	Height	Weight
Diagonal Feeder <b>FD18</b>	1524mm(5')	5486mm(18')	1295mm(4'3")	246kg(542lb)



## SQUARE BALE FEEDERS

- Modular type, can be bolted into single/double ones
- Can fit one large square bale
- Feeds up to 22 animals simultaneously
- 4 Piece construction makes it easy to relocate
- Manufactured from pre-galvanised material



		Width	Length	Height	Weight
Square Bale Feeder-Straight Bar	<b>FSS</b>	1524mm(5')	2743mm(9')	1295mm(4'3")	142(313lb)
Square Bale Feeder-Angled Bar	<b>FSA</b>	1524mm(5')	2743mm(9')	1295mm(4'3")	140(309lb)

## ROUND BALE FEEDERS

- Holds 6 ft round bales
- Feeds up to 18 animals simultaneously
- 2 piece construction makes it easy to relocate
- Manufactured from pre-galvanised material



		Diameter	Height	Weight
Round Bale Feeder-Straight Bar	<b>FRS</b>	2133mm(7')	1295mm(4'3")	103kg(227lb)
Round Bale Feeder-Angled Bar	<b>FRA</b>	2133mm(7')	1295mm(4'3")	93kg(205lb)





## ROUND BALE CRADLE FEEDER

- Full 32nb pipe
- Holds 1x round bales



	Width	Depth	Height	Weight
Round Bale Cradle Feeder	1645mm(5'5")	1532mm(5')	1216mm(4')	142kg(313lb)

## SMALL CRADLE FEEDER

- Small round bale cradle feeder



	Width	Depth	Height	Weight
Small Cradle Feeder	1475mm(4'8")	1415mm(4'6")	670mm(2'19")	50kg(110lb)



## DUAL HAY FEEDER

- Holds 2x round bales or 1x large



	Width	Depth	Height	Weight
Dual Hay Feeder	<b>FS CS</b>	2900mm(9'5")	2250mm(7'3")	1216mm(3'9")

## LINE FEEDERS



	Width	Length	Height	Weight
Line Feeder 5.0	<b>FL-5</b>	1524mm(5')	1524mm(5')	1295mm(4'3")
Line Feeder 9.0	<b>FL-9</b>	1524mm(5')	2743mm(9')	1295mm(4'3")
Line Feeder 18	<b>FL-18</b>	1524mm(5')	5486mm(18')	82kg(182lb)





## **HEAVY DUTY V TOP SQUARE FEEDER**



	Width	Length	Height	Weight
Heavy Duty V Top Square Feeder <b>FSVHDH</b>	1676mm(5'5")	2819mm(9'3")	1346mm(4'5")	196.86kg(434lb)

## **SHEEP HANGING FEEDER**



	Length	Height	Width	Weight
Sheep Hanging Feeder <b>SFH</b>	559mm(1'10")	305mm(1')	457mm(1'6")	4kg(9lb)



## SHEEP TROLLEY FEEDER

- Ideal to keep the weather off stock-feed
- Reduces waste
- Supplied with 4x10" wheels x 0.78" bore with rubber tyre with 2'7½" wide lid c/w protex fastening and lid catch
- Double sided 3"x 3" hay-rack



	Width	Depth	Height	Weight
Sheep Trolley Feeder <b>FTS</b>	1270mm(4'2")	330mm(1'11")	686mm(2'3")	56kg(123lb)

## SHEEP FEEDER V-TOP WITH SKID

- Overall size: 2401L x 800D x 1200H
- 1200mm Height designed to assist any tractor job to lead hay easily
- Lip rolled to the outside means no feed build up, fresher feed and no mold
- Formed so bunks can be set end-to-end or stacked for storage
- HDG rounded skid legs allow for easy movement in muddy conditions while providing lasting strength and reliability
- A distinctive design that helps to reduce hay wastage



	Length	Depth	Height	Weight
Sheep Feeder V-Top With Skid <b>FSVT</b>	2401mm(7'10")	800mm(2'7")	1200mm(3'11")	113kg(249lbs)



## LICK FEEDERS

- Unique barrel design increases strength and does away with the need for internal supports
- Sizes available
  - 5200 L (3.9 tonnes)
  - 4200 L (3.1 tonnes)
  - 3200 L (2.4 tonnes)
  - 2400 L (1.8 tonnes)
  - 800 L (0.6 tonnes)
- Fully adjustable
- Full top hinge opening lid
- 3 viewing feed level indicators
- Robust galvanised construction with fork slots for easy moving

*Sizes are a general guide. Actual weight may vary slightly depending on the type and density of the grain, whether it's wheat, barley, sorghum, pellets, or other grains.*



		Length	Width	Height	Weight
800ltr	<b>SFL800</b>	1171mm(3'10")	1232mm(4')	1435mm(4'8")	151kg(322lb)
2400ltr	<b>SFL24</b>	2265mm(7'5")	1147mm(3'9")	1750mm(5'8")	315kg(695lb)
3200ltr	<b>CFL32</b>	2265mm(7'5")	1167mm(3'10")	2100mm(6'11")	394kg(867lb)
4200ltr	<b>CFL42</b>	2265mm(7'5")	1405mm(4'7")	2250mm(7'4")	446kg(983lb)
5200ltr	<b>CFL52</b>	2919mm(9'6")	1574mm(5'2")	2223mm(7'3")	520kg(1146lb)



## ATV TRAILER

- 5 x 3 ft
- Tipping feature
- Removable cage

### Materials

- Standard 2mm flat plate
- 10inch sides
- 50 x 50 x2mm draw bar
- 50mm coupling
- 45mm hollow axle
- 13inch sunraysia ford tyres
- 30 x 30 rhs chassis
- Cage 25nb pipe frame with 50 x 50 x 4mm mesh 900mm high



### Weight

ATV Trailer

TATV

165kg(363lb)





## RAISED DOG PENS

### Standard Dog Pens

- Available in single and double in both standard and raised
- Raised flooring composite boards with drainage gaps
- Sturdy construction and design
- Providing great protection for your pets

### Materials:

Frame 30 x 30 x 1.6mm galvanised tube  
 Mesh: 25 x 84mm with 3mm diameter  
 Hot dip galvanised

### Budget Raised Dog Pens

- No back door
- FRP (Fiber glass grating floor)
- Designed as modular, it can be set up into a single, double, triple, etc...
- Detachable mid-wall
- Comes in Flat pack version
- Anti-UV Trim Deck and flashing provided

*All Brazzen raised dog pens feature an innovative modular design that easily expands from a single unit into double, triple, quadruple, or larger enclosures.*



**DCSR+DCRE**



**DCSR**



**DCBSR**



**DCBSR+DCBRE**

		Depth	Width	Height	Weight
Single Raised Dog Pen	<b>DCSR</b>	2286mm(7'6")	1092mm(3'7")	1676mm(5'6")	168kg(370lb)
Dog Pen Raised Extension	<b>DCRE</b>	2286mm(7'6")	1092mm(3'7")	1676mm(5'6")	
Single Raised Dog Pen Budget	<b>DCBSR</b>	2286mm(7'6")	1066mm(3'6")	1625mm(5'4")	
Dog Pen Budget Raised Extension	<b>DCBRE</b>	2286mm(7'6")	1066mm(3'6")	1625mm(5'4")	



## ON-GROUND DOG PENS



SINGLE

	Depth	Length	Height	Weight
Dog Pen Single <b>DCS</b>	3657mm(12')	2133mm(7')	1828mm(6')	178kg(392lb)
Dog Pen Double <b>DCD</b>	3657mm(12')	2387mm(7'10")	1828mm(6')	278kg(613lb)



DOUBLE

## MOBILE CHICKEN COOP

- Anodized aluminum frame with stainless fixtures
- Galvanized predator-proof mesh with excellent airflow
- Insulated panels — fire, moisture & UV resistant for year-round comfort
- Double-locking front/rear gates; raised mesh floor keeps interiors dry
- Modular design — start 2-panel, expand to 3 or 4 as your flock grows
- One-person assembly; tools and parts included
- Smooth-rolling wheels for easy daily moves
- 3-panel setup suits up to 8 chickens (with daytime free-ranging)



CCM2 + CCME



CCM2 + CCME



CCM2

	Length	Width	Height	Weight
Chicken Coop 2 Panel <b>CCM2</b>	1738mm(5'8")	840mm(2'9")	892mm(2'11")	31kg(68lb)
Chicken Coop Extension <b>CCME</b>	840mm(2'9")	840mm(2'9")	892mm(2'11")	8kg(17lb)





## HOW TO RECOGNISE YOU ARE BUYING BRAZZEN GENUINE EQUIPMENT



**BRAZZEN, OVER THE YEARS HAS BECOME A DOMINANT PLAYER IN THE LIVESTOCK EQUIPMENT INDUSTRY.**

- 1 We pride ourselves in having excellent galvanising and even our upright posts are hot dipped galvanised on all our panels which is important as this is the part that touches the ground.
- 2 All the gauges/tube wall thickness of our rails and posts are exactly the thickness as stated in our specifications.
- 3 Our workers pride themselves in their welding and you will see the difference with our welding compared with our competitors.
- 4 All our equipment has the anti-rattle rubbers where the pins join the equipment.
- 5 Our standard cattle panels are 36kg in weight, the biggest deception with cheaper panels is the thin steel tube gauge which reflects in the weight of steel.
- 6 Some companies have cheap panels with only half a C clamp on one side to save on steel. When linked with other panels this is much weaker than the full C clamp.  
Beware of these inferior panels.

**"If it is not Genuine Brazzen  
there is no Brazzen Warranty"**



We take pride in our excellent galvanizing, with all upright posts on our standard panels being Hot-Dipped Galvanized. This is essential, as these posts are in direct contact with the ground, mud, and snow.

Our manufacturing facility is managed by Australians, ensuring that quality control and product development are overseen to the highest standards. Australian livestock equipment is known worldwide for its durability, and much of Brazzen equipment is used in the Northern Territory and outback regions, where it reliably withstands the demands of penning buffalo, wild cattle, and horses.

Many manufacturers have started to imitate our designs, attempting to sell their products as Brazzen Equipment.

For you to recognise genuine Brazzen Equipment, you will see a logo on the cap on the top of the posts on our panels, you will see a Brazzen sticker on the panels. A lot of our equipment will have the logo stamped in them.

***If you have a farm and would like to make another income we are looking for dealers. Reach out if this is something you are interested in.***

**Do please keep buying Brazzen Equipment and make sure it is genuine.**

**BE BRAZEN BUY BRAZZEN**



**BRAZZEN**  
RURAL PRODUCTS

## Contact & Sales

### HEAD OFFICE

**Tel 1300 686 517**

80 Mann Street  
Coolamon NSW 2701  
[sales@brazzen.com.au](mailto:sales@brazzen.com.au)



DESIGNED & TESTED BY  
FARMERS WORLDWIDE

