



BRAZZEN

RURAL PRODUCTS



2025

PRODUCT BOOKLET
www.brazzen.com.au



DEALERS

ACT

Brazzen Canberra (Independent Steel Company)

New South Wales

Brazzen Albury/Wodonga (Parkside Produce)
Brazzen Barrington Coast
Brazzen Dubbo (Mullion Produce)
Brazzen Hunter Valley
Brazzen Macleay Valley
Brazzen Moss Vale (Independent Steel Company)
Brazzen Northern Rivers
Brazzen Nowra (Independent Steel Company)
Brazzen Orange (Mullion Produce)
Brazzen Queanbeyan (Independent Steel Company)
Brazzen Tamworth (Steel Save)
Brazzen Wagga Wagga (Direct Steel Wagga)

Northern Territory

Brazzen Darwin & Top End

Queensland

Brazzen Bundaberg
Brazzen FNQ
Brazzen Lockyer Valley
Brazzen Mackay
Brazzen Morayfield
Brazzen Rockhampton
Brazzen Scenic Rim
Brazzen Townsville

South Australia

Brazzen Kimba (Lienert Ag Supplies)
Brazzen Tailem Bend (River Murray Trading Post)

Tasmania

Brazzen Tas Rural

Victoria

Brazzen Alpine Country Victoria
Brazzen Ballarat (The Haymarket)
Brazzen Colac
Brazzen Gippsland
Brazzen Hamilton
Brazzen Katunga
Brazzen Yarra Valley

Western Australia

Brazzen Albany
Brazzen Busselton
Brazzen Esperance
Brazzen Geraldton
Brazzen Kondinin

Brazzen Moora

Brazzen Southern Stockyards (Bunbury Area)

SUPPLIERS

New South Wales

Bathurst AG Horse & Pet
Berry Rural Store
Binalong Rural
Boorowa Hardware
Candelo Stockfeeds
Carrington Rd Stockfeeds - Londonderry
Cleanseeds Pty Ltd
D & R Stockfeed - Camden
DH Roberts Pty Ltd
DST Rural
Goulburn Horse Ag & Pet
Heartland Rural Cowra
JD's Rural Supplies
MacCallum Inglis
Mandalong Stockfeeds - Morisset
Marulan Rural Supplies
Milton Hardware & Mowers
Murrumbateman Rural Supplies
NU RURAL - Quirindi
Precision Ag
Produce Direct & Pet Centre
Riverview Produce
South East Rural Supplies
Southern Quality Stockfeeds - Yanderra
Southern Rural Traders
Turnbull Fuel & Produce
Welderup

South Australia

Agfert

Victoria

Bairnsdale Stockfeed
Costello Rural
Dindi Ag
Dunstall's Superstore
Macalister Tyre Service
Mildura Stockfeeds
Miller's Agricultural Supplies
Peter Davis Rural Supplies
Seymour Ag
Steel Supplies Mildura
Tafco Rural Supplies - Myrtleford
Tallarook Rural Supplies
Tully's Stockfeeds & Rural Supplies
Wangaratta Rural Supplies
Yan Yean Stock Feed



Product Index

The specifications are subject to change without prior notice.

Contact & Sales

HEAD OFFICE

1300 686517

0455 332519

sales@brazzen.com.au

80 Mann Street

Coolamon NSW 2701

Cattle _____ 4-24

| | |
|--------------------------------|-------|
| Head Bale _____ | 4 |
| Crushes _____ | 4-8 |
| Ramps _____ | 9-11 |
| Cattle Permanent Post _____ | 11 |
| Cattle Anti-Backing Bar _____ | 11 |
| Panels _____ | 12-13 |
| Race Walkway Mesh _____ | 13 |
| Bows _____ | 14 |
| Gates _____ | 15-21 |
| Calf Tilting Cradle _____ | 21 |
| Curved Race Panels _____ | 22 |
| Access Grid/Premium Grid _____ | 22 |
| Force Yard _____ | 23 |
| Bud Box/Cattle Scale _____ | 24 |

Combo Panels/Pigs _____ 25

| | |
|----------------------------|----|
| Combo Panels & Gates _____ | 25 |
| Pig Panel & Gate _____ | 25 |

Sheep/Goat _____ 26

| | |
|-------------------------|-------|
| Ramps _____ | 26 |
| Curved Race Kit _____ | 27 |
| V-Race _____ | 28 |
| Sheep Handler _____ | 29 |
| Panels & Gates _____ | 30-32 |
| Goat Panel & Gate _____ | 33 |

Horses _____ 34-36

| | |
|----------------------|-------|
| Panels & Gates _____ | 34-35 |
| Shelter _____ | 36 |

Feeders _____ 37-43

ATV Trailer _____ 44

Dog Pens _____ 45

We see different prices all over Australia for cattle panels.

Why is this?

What to look out for?



BRAZZEN, OVER THE YEARS HAS BECOME A DOMINANT PLAYER IN THE LIVESTOCK EQUIPMENT INDUSTRY.

- 1 Many panel weights are very light due to the gauges, the steel rails and posts are very thin. 1.1mm is now becoming the norm in cheap panels. They dent like an aluminium can. Brazen Panels are all oval rails 1.5mm thick and the posts are 1.7mm. The standard panels are 36kg in total weight.
- 2 Some cattle panels will have 5 rails instead of 6 rails to save money. This is an old trick.
- 3 Some cattle panels have 60x30mm oval rails and 40x40mm posts.
- 4 Brazen Cattle panels have 70x40mm oval rails and 50x50mm Posts. Many panels go with the half pin cleat instead of the full C cleat. Brazen has the full C cleats on both sides and also has rubber in the cleat holes to stop the rattling noise of the pins.



**BE BRAZEN
BUY BRAZZEN**

- 5 Most panels have a very low galvanized coating (Pre-gal) as low as 20grams per square meter of galvanising. (20gms m²)
- 6 Brazen Posts are Hot Dipped Gal not a coating which is over 200gms m² and the rails are over 60gms m²
- 7 Brazen also salt tests the welds to make sure they can withstand many hours of salt washing and the welders use splatter rubbers to stop weld splatter on the rails and posts which are hidden from gal paint and can eventually rust.
- 8 All Brazen panels have the Brazen logo on the caps of all the posts.




If you have a farm and would like to make another income we are looking for dealers. Reach out if this is something you are interested in.

Next time you choose a Cattle Panel you need to ask yourself if a Cattle Panel is a Brazen Cattle Panel.



HEAD BALE

- Ideal for use with two cattle panels and a sliding gate to create a budget crush
- Easy to operate ratchet system
- Head bale is 750mm inside and 850mm outside



• Optional Baulk Gate



| | | Width | Depth | Height | Weight |
|------------|----------------|------------|-------------|-------------|--------------|
| Head Bale | CHB | 850(2.79') | 250(0.8') | 2100(6.89') | 120kg(265lb) |
| Baulk Gate | CGBAULK | | 1000(3.28') | 1000(3.28') | 21kg(46.3lb) |

HOBBY CRUSH


- Ideal for the hobby farmer
- Simple construction
- Portable
- Easy operating sliding gate
- Anti bruise oval rail panels

Kit includes:

- 1x cattle head bale
- 2x cattle panels
- 1x cattle sliding gate

You can DIY the Hobby Crush according to your request:

- Sliding Gate Options: Standard, Premium, Blind
- Cattle Head Bale Options: CHB, CHBK (CHBK only works on crush with vet section)
- Side Option: Two sides panel, two sides panel gate, or one side panel with one side panel gate, with vet section or without



| | | Width | Depth | Height | Weight |
|-------------|------------|------------|------------|------------|--------------|
| Hobby Crush | CCH | 2500(8.2') | 850(2.79') | 2030(7.5') | 260kg(573lb) |



HOBBY CRUSH WITH VET

Kit includes:

- Standard Cattle Slide Gate 1xCGSS
- Standard Cattle Head Bale 1xCHB
- Crush Side Panel 3.0m 1xCPC3.0
- Crush Side Panel Gate 3.0m 1xCPGCB3.0

| | | Width | Depth | Height |
|----------------------|-------------|-------------|------------|------------|
| Hobby Crush with Vet | CCHV | 3625(11.9') | 850(2.79') | 2600(8.5') |



HOBBY CRUSH BLINDED WITH VET

Kit includes:

- Standard Cattle Slide Gate 1xCGSS
- Cattle Head Bale with Long Handle Kits 1xCHBK
- Crush Side Panel Blinded 3.0m 1xCPCB3.0
- Crush Side Panel Gate Blinded 3.0m 1xCPGCB3.0

| | | Width | Depth | Height |
|------------------------------|--------------|-------------|------------|------------|
| Hobby Crush Blinded with Vet | CCHBV | 3625(11.9') | 850(2.79') | 2600(8.5') |



HOBBY CRUSH WITH SPLIT GATE

Kit includes:

- Standard Cattle Slide Gate 1xCGSS
- Standard Cattle Head Bale 1xCHB
- Standard Cattle Gate Split 2.1m 1xCGSPL2.1
- Standard Cattle Panel 2.1m 1xCPS2.1


| | | Width | Depth | Height |
|-----------------------------|--|-------------|------------|------------|
| Hobby Crush with Split Gate | | 2735(8.97') | 850(2.79') | 2600(8.5') |





STANDARD CRUSH

- Sheeted bottom side gates for operator and animal safety
- Triple top gates allowing full access along animal
- Auto lock rear sliding gate
- Adjustable rear handle
- Walk through vet section
- Supplied in flat pack



| | | Length | Depth | Height | Weight |
|----------------|-------|----------|-----------|------------|---------------|
| Standard Crush | CCSFP | 3350(11) | 850(2.79) | 2030(7.5') | 580kg(1279lb) |
| Chin Lift | CCL | | | | 46kg(101lb) |

- Optional Chin Lift of STANDARD and PREMIUM Crush
- Offside Chin Lift Available



PREMIUM CRUSH

- 3mm gauge steel frame
- Walk through vet section
- Bulk gate
- Kick latch
- Rump squeeze
- New design allows safer access to rear of animal
- Triple top gates allowing full access along animal
- Double lower doors on each side for hoof access
- Sheeted sliding gate
- Long ratchet rump bar mechanism
- Auto lock rear sliding gate
- Supplied in flat pack





| | | Length | Depth | Height | Weight |
|---------------|-------------|------------|------------|------------|---------------|
| Premium Crush | CCFP | 3350(11') | 850(2.79') | 2030(7.5') | 644kg(1420lb) |
| Floor - Large | CCFL | 2055(6.7') | 743(2.4') | 50(0.16') | 53kg(454lb) |
| Floor - Small | CCFS | 910(3') | 745(2.4') | 50(0.16') | 24kg(265lb) |

• Optional Small And Large Floor For STANDARD and PREMIUM Crush



PREMIUM FULL SQUEEZE CRUSH

- Sheeted head bale & bottom side gates for operator and animal safety
- Auto lock rear sliding gate
- Innovative silent operation
- Walk through vet section
- Parallel squeeze
- 2x large access doors
- Neck inspection doors
- Front & rear head bale operation
- Supplied in flat pack



Ensure the Crush is bolted down if the roof is attached.

• Optional Small and Large Roof for STANDARD, PREMIUM and SQUEEZE Crush

| | | Length | Width | Height | Weight |
|---------------|---------------|--------------|--------------|-------------|----------------|
| Squeeze Crush | CCPSFP | 3630(11.91') | 850(2.79') | 2400(7.87') | 1070kg(2359lb) |
| Roof - Large | RCL | 4180(13.71') | 4260(13.98') | | 206kg(454lb) |
| Roof - Small | RCS | 2300(7.55') | 3770(12.37') | | 120kg(265lb) |



ADJUSTABLE RAMP

- Fully adjustable height for trailer to truck loading
- Designed to suit all cattle yards
- Ramps available with detachable walkways on request
- Minimum height - 680mm
Maximum height - 1270mm



Optional Walkway Kit Available



STANDARD RAMP



Optional Walkway Kit With Safety Rail Available



STANDARD RAMP WITH MOBILE KIT



PREMIUM RAMP

| | | Length | Depth | Height | Weight |
|------------------------------|-----------------|----------------|------------|-------------|--------------|
| Standard Ramp | CRFP | 3280(10.76') | 850(2.78') | 3350(11') | 332kg(732lb) |
| Premium Ramp | CRFPF | 3280(10.76') | 850(2.78') | 3350(11') | 387kg(853lb) |
| Standard Ramp WPC | CRTFPP | 3280(10.76') | 850(2.78') | 3350(11') | 394kg(872lb) |
| Premium Ramp WPC | CRPTFFP | 3280(10.76') | 850(2.78') | 3350(11') | 449kg(993lb) |
| Walkway Kit With Safety Rail | CRWK600F | 3131.6(10.27') | 660(2.17') | 1800(5.91') | 101kg(223lb) |
| Walkway Kit | CRWK | 3450(11.31') | 310(1') | | 39kg(86lb) |
| Cattle Ramp Mobile Kit | CRKM | | | | |





Mobile Kit



HEAVY DUTY CATTLE RAMP

- Heavy-duty steel construction ensures it can handle even the toughest outdoor conditions
- Overall size: 5370 x 3000 mm (H)
- 3360 mm ramp with a 2000 mm level extension for easy loading
- 1200 mm fixed loading height
- 900 mm anti-slip walkway with a safety rail
- 2 access gates on the top to shut off the truck and/or ramp
- Detachable side walkway that can be placed on the left or right side
- Rubber contact points added to protect your ramp and truck



| | Length | Depth | Height | Weight |
|-------------------------------------|-------------|-----------|-------------|----------------|
| Heavy Duty Cattle Ramp CRHWK | 5370(17'7") | 1840 (6') | 3300(10'9") | 838kg(1847lbs) |



PREMIUM MOBILE RAMP

- Robust construction
- 1x3.6m mobile cattle ramp
- Ideal for moving around property
- Holds 12x portable cattle panels (not included)
- The premium floor is WPC board which is a durable and long lasting material used to replace timber



PANELS NOT INCLUDED WHEN ORDERING

| | Length | Depth | Height | Weight |
|---------------------|-------------|-------------|------------|---------------|
| Premium Mobile CRPM | 5330(17.5') | 2240(7.35') | 2680(8.8') | 696kg(1534lb) |

CATTLE PERMANENT POST

| | Length | Width | Height |
|----------------------------|-----------|-----------|------------|
| Cattle Permanent Post CPPH | 65(2.56') | 65(2.56') | 2600(8'6") |



CATTLE ANTI-BACKING BAR

| | Length | Height | Weight |
|------------------------------|-------------|------------|----------------|
| Cattle Anti-Backing Bar CBAB | 1145(3.76') | 920(3.02') | 23.8kg(52.5lb) |





CATTLE PANELS

Budget Panel

This middle of the range panel is equipped with:

- 6x oval 60 x 30 (2.36" x 1.18") rails
- 2 SHS 40 x 40 (1.57" x 1.57") posts
- 4 easy to connect lugs
- 2 holes for ground pins

Standard Panel

This strong heavy duty panel is equipped with:

- 6x oval 70 x 45 (2.75" x 1.57") rails
- 2 SHS 50 X 50 (2" x 2") posts
- 4 easy to connect lugs
- 2 holes for ground pins

Premium Panel

This strong heavy duty panel is equipped with:

- 6x oval 115 x 42 (4.52" x 1.65") rails
- 2 SHS 50 x 50 (2" x 2") posts
- 4 easy to connect lugs
- 2 holes for ground pins

All panels can be pre-ordered in Hot Dip Galvanised (HDG) after welding


| | | Horizontal | Uprights | Rails | Length | Height | Weight |
|-------------------|-----------------|------------|----------|-------|-------------|-------------|---------------|
| Budget Panel | CPB2.1 | 60x30 | 40x40 | 6 | 2100(6.89') | 1800(5.91') | 32kg(71lb) |
| Standard Panel | CPS1.25 | 70x40 | 50x50 | 6 | 1250(4.1') | 1800(5.91') | 24.8kg(55lb) |
| Standard Panel | CPS2.1 | 70x40 | 50x50 | 6 | 2100(6.89') | 1800(5.91') | 36kg(79lb) |
| Standard Panel | CPS2.4 | 70x40 | 50x50 | 6 | 2400(7.87') | 1800(5.91') | 40kg(88lb) |
| Standard Panel | CPS3.35 | 70x40 | 50x50 | 6 | 3350(11') | 1800(5.91') | 50kg(110lb) |
| Premium Panel | CPP1.25 | 115x40 | 50x50 | 6 | 1250(4.1') | 1800(5.91') | 34kg(75lb) |
| Premium Panel | CPP2.1 | 115x40 | 50x50 | 6 | 2100(6.89') | 1800(5.91') | 46kg(101lb) |
| Premium Panel HDG | CPP2.1H | 115x40 | 50x50 | 6 | 2100(6.89') | 1800(5.91') | 47.5kg(105lb) |
| Premium Panel | CPP2.4 | 115x40 | 50x50 | 6 | 2400(7.87') | 1800(5.91') | 52kg(115lb) |
| Premium Panel HDG | CPP2.4H | 115x40 | 50x50 | 6 | 2400(7.87') | 1800(5.91') | 53kg(117lb) |
| Premium Panel | CPP3.35 | 115x40 | 50x50 | 6 | 3350(11') | 1800(5.91') | 70kg(154lb) |
| Premium Panel HDG | CPP3.35H | 115x40 | 50x50 | 6 | 3350(11') | 1800(5.91') | 72kg(159lb) |



BUDGET



STANDARD



PREMIUM



SHEETED CATTLE PANEL



| | | Length | Height |
|---------------------------------|-----------------|-------------|-------------|
| 2.1 Standard Sheeted Panel | CPSBH2.1 | 2100(6.89') | 1800(5.91') |
| 2.1 Standard Sheeted Panel Full | CPSB2.1 | 2100(6.89') | 1800(5.91') |
| 2.1 Premium Sheeted Panel | CPPBH2.1 | 2100(6.89') | 1800(5.91') |
| 2.1 Premium Sheeted Panel Full | CPPB2.1 | 2100(6.89') | 1800(5.91') |

RACE WALKWAY MESH

- Race walkway mesh is designed to assist with maximum access to the cattle while they are in the race, therefore giving you safe access above the cattle



| | | Width | Weight |
|-----------|-------------|-------------|------------|
| Race Mesh | CRWW | 2100(6.89') | 19kg(42lb) |





RACE BOWS

- Assists with maintaining a sturdy race
- Stops race from spreading under pressure



SINGLE RACE BOW



ADJUSTABLE DOUBLE RACE GATE



DOUBLE RACE WALKWAY BOW

| | | Length | Height | Weight |
|-----------------------------|--------------|-------------|-------------|-------------|
| Single Race Bow | CRB | 850(2.78') | 2200(7.21') | 18kg(40lb) |
| Double Race Bow | CRBD | 2100(6.89') | 2590(8.5') | 44kg(97lb) |
| Adjustable Double Race Gate | CRBDA | 2100(6.89') | 2590(8.5') | 85kg(187lb) |



R360 CATTLE GATE


- Comes with both chain & slam latch
- Gate will swing in both directions
- INNOVATION design - 360 Degrees



| | | Length | Depth | Height |
|---------------------------------|---------------------|-------------|-----------|-------------|
| 2.1 Standard 360 Degrees | CGS2.1-R360 | 2100(6.89') | 50(0.16') | 2200(7.22') |
| 2.1 Premium 360 Degrees | CGP2.1-R360 | 2100(6.89') | 50(0.16') | 2200(7.22') |
| 3.0 Standard Single 360 Degrees | CGSS3.0-R360 | 3000(9.84') | 60(2.4') | 2200(7.22') |
| 3.0 Premium Single 360 Degrees | CGPS3.0-R360 | 3000(9.84') | 60(2.4') | 2200(7.22') |

SPEAR TRAP GATE

- Designed for self mustering
- Ideal for decreasing handling & increasing mustering efficiency on large properties
- Reduces stress on both the animal and handler
- Arms are removable
- Effective and easy to install into an existing portable yard




| | Width | Depth | Height | Weight |
|-----------------------------|------------|------------|------------|-------------|
| Spear Trap Gate CGST | 1150(3.7') | 132(0.43') | 2000(6.5') | 86kg(189lb) |



CATTLE GATES

- Comes with both chain and slam latch
- Gate will swing in both directions




STANDARD 3.0 GATE



PREMIUM 4.2 GATE



STANDARD 4.2 DOUBLE



STANDARD 2.1 GATE

| | | Length | Depth | Height | Weight |
|---------------------|----------------|--------------|-----------|-------------|--------------|
| 2.1 Standard | CGS2.1 | 2100(6.89') | 50(0.16') | 2200(7.22') | 66kg(146lb) |
| 2.1 Premium | CGP2.1 | 2100(6.89') | 50(0.16') | 2200(7.22') | 76kg(168lb) |
| 3.0 Standard Double | CGSD3.0 | 3000(9.84') | 50(0.16') | 2200(7.22') | 118kg(260lb) |
| 3.0 Standard Single | CGSS3.0 | 3000(9.84') | 50(0.16') | 2200(7.22') | 116kg(256lb) |
| 3.0 Premium Double | CGPD3.0 | 3000(9.84') | 50(0.16') | 2200(7.22') | 133kg(293lb) |
| 3.0 Premium Single | CGPS3.0 | 3000(9.84') | 50(0.16') | 2200(7.22') | 127kg(280lb) |
| 4.2 Standard Double | CGSD4.2 | 4200(13.78') | 50(0.16') | 2200(7.22') | 162kg(357lb) |
| 4.2 Standard Single | CGSS4.2 | 4200(13.78') | 50(0.16') | 2200(7.22') | 192kg(423lb) |
| 4.2 Premium Single | CGPS4.2 | 4200(13.78') | 50(0.16') | 2200(7.22') | 210kg(463lb) |



MAN PANEL GATE

- Designed for easy access between yards
- Fast exit from yards

| | | Width | Depth | Height | Weight |
|--------------|----------------|-------------|-----------|-------------|-------------|
| Standard Man | CGMS2.1 | 2100(6.89') | 50(0.16') | 2200(7.22') | 59kg(130lb) |
| Premium Man | CGMP2.1 | 2100(6.89') | 50(0.16') | 2200(7.22') | 70kg(154lb) |
| Standard Man | CGMS2.4 | 2400(7.87') | 50(0.16') | 2200(7.22') | 63kg(139lb) |
| Premium Man | CGMP2.4 | 2400(7.87') | 50(0.16') | 2200(7.22') | 76kg(168lb) |



PREMIUM MAN-PANEL GATE

ACCESS GATE

- Ideal for use in workers alley, or access to yards
- Comes with both chain and slam latch
- Handy lugs for ground pinning

| | | Width | Depth | Height | Weight |
|-----------------|-------------|-------------|-----------|-------------|-------------|
| Standard Access | CGAS | 1250(4.10') | 50(0.16') | 2200(7.22') | 50kg(110lb) |
| Premium Access | CGPA | 1250(4.10') | 50(0.16') | 2200(7.22') | 55kg(121lb) |



STANDARD ACCESS GATE

STANDARD CATTLE GATE SPLIT 2.1M

| | | Length | Depth | Height | Weight |
|------------|-----------------|-------------|-----------|-------------|------------|
| Split 2.1m | CGSPL2.1 | 2100(6.89') | 50(0.16') | 2200(7.22') | 68k(150lb) |





2 WAY RACE GATE

- Easy operation
- Designed to assist with sorting and separating cattle with a minimal of stress on the animals
- Fully sheeted sides to help minimise cattle distraction
- Can be operated from both sides



| | Length | Width | Height | Weight |
|------------------------------|-------------|-------------|------------|--------------|
| 2 Way Race Gate CGR2W | 1642(5.39') | 1653(5.42') | 2100(6.9') | 168kg(370lb) |

CATTLE 3 WAY DRAFTING GATE

- Galvanised construction
- Robust construction
- Animal Friendly
- Handy lugs for ground pinning
- Designed to improve speed of stock flow easy operation



| | Length | Depth | Height |
|--|-------------|-------------|-------------|
| Cattle 3 Way Drafting Gate C3WD | 2385(7.82') | 850(2.789') | 2113(6.93') |



5 RAIL DRIVEWAY GATES

- End posts are square 50 x 50 and 14 gauge
- Made from our premium oval rails 101 x 50 and 16 gauge, each rail almost has a 5 inch face on them
- Total 5 rails and with vertical strengthening square tubes to ensure this gate will never bend or break, they all come with 4 long bolt through L hinges to carry the weight



| | | Length | Height | Rails |
|-------------------|--------------------|------------|------------|-------|
| Driveway Gate 8.0 | DGP8/4.2-5 | 2438.4(8') | 1270(4'2") | 5 |
| Driveway Gate 10 | DGP10/4.2-5 | 3048(10') | 1270(4'2") | 5 |
| Driveway Gate 12 | DGP12/4.2-5 | 3658(12') | 1270(4'2") | 5 |
| Driveway Gate 14 | DGP14/4.2-5 | 4267(14') | 1270(4'2") | 5 |
| Driveway Gate 16 | DGP16/4.2-5 | 4877(16') | 1270(4'2") | 5 |




- This cowboy latch is made for all you cowboys out there. Mount it on the gate and you won't even have to get out of the saddle to open it.
- Heavy-duty steel construction. It could be used on Brazen standard, premium driveway gates and mesh driveway gates 1473mm long handle

6 RAIL DRIVEWAY GATES

| | | Length | Height | Rails |
|-------------------|--------------------|------------|------------|-------|
| Driveway Gate 8.0 | DGP8/5.1-6 | 2438.4(8') | 1549(5'1") | 6 |
| Driveway Gate 10 | DGP10/5.1-6 | 3048(10') | 1549(5'1") | 6 |
| Driveway Gate 12 | DGP12/5.1-6 | 3658(12') | 1549(5'1") | 6 |
| Driveway Gate 14 | DGP14/5.1-6 | 4267(14') | 1549(5'1") | 6 |
| Driveway Gate 16 | DGP16/5.1-6 | 4877(16') | 1549(5'1") | 6 |




Cowboy Latch Kit **LK**



MESH DRIVEWAY GATES

| | | Length | Height | Rails |
|------------------------|---------------------|------------|------------|-------|
| Mesh Driveway Gate 8.0 | DGBM8/4.5-5 | 2438.4(8') | 1345(4.5') | 5 |
| Mesh Driveway Gate 10 | DGBM10/4.5-5 | 3048(10') | 1345(4.5') | 5 |
| Mesh Driveway Gate 12 | DGBM12/4.5-5 | 3658(12') | 1345(4.5') | 5 |
| Mesh Driveway Gate 14 | DGBM14/4.5-5 | 4267(14') | 1345(4.5') | 5 |
| Mesh Driveway Gate 16 | DGBM16/4.5-5 | 4877(16') | 1345(4.5') | 5 |





ADJUSTABLE TOP 6 RAIL CATTLE GATE

- 6 Rails
- Height adjustable to 3.0m allowing the option to ride through gates
- Gate is hinged to swing in both directions



| | | Horizional | Uprights | Rails | Height | Width | Weight |
|--------------|-------------|------------|----------|-------|--------|-------|--------------|
| 2.1 Budget | CGBA | 60x30 | 50x50 | 6 | 3000 | 2100 | 66kg(146lbs) |
| 2.1 Standard | CGSA | 70x40 | 50x50 | 6 | 3000 | 2100 | 70kg(154lbs) |

2 WAY SLIDING CATTLE GATE

- This sliding gate can be operated from both sides or locked off for single side operation



| | | Width | Depth | Height | Weight |
|--------------------|--------------|------------|------------|-------------|-------------|
| 2 Way Sliding Gate | CG2WS | 850(2.79') | 370(1.21') | 1970(6.46') | 96kg(212lb) |



SLIDING CATTLE GATE

- Ideal for use with two cattle panels and a sliding gate to create a budget crush
- Easy operation with roller sliding

Suggestion for use:

- 1x Sliding Gate
- 1x Head Bale
- 2x Standard panels



PREMIUM SLIDE GATE



STANDARD SLIDE GATE



BLIND CATTLE SLIDE GATE

| | | Width | Depth | Height | Weight |
|-------------------------|--------------|------------|-----------|-------------|--------------|
| Standard Slide Gate | CGSS | 850(2.79') | 220(0.7') | 1970(6.46') | 80kg(176lb) |
| Premium Slide Gate | CGPS | 850(2.79') | 220(0.7') | 1970(6.46') | 84kg(185lb) |
| Blind Cattle Slide Gate | CGSSB | 850(2.79') | 220(0.7') | 1970(6.46') | 120kg(265lb) |

CALF TILTING CRADLE

- Secure holding
- Galvanised construction
- Designed for easy access to animal



| | | Width | Depth | Height | Weight |
|-------------|-------------|-------------|------------|-------------|--------------|
| Calf Cradle | CCCT | 1800(5.90') | 850(2.79') | 1200(3.94') | 207kg(456lb) |



CURVED RACE PANELS

- Designed to improve speed of stock flow
- Minimal distractions



| | | Curve Width | Radius | Depth | Height | Weight |
|----------------|-------------|-------------|-------------|-----------|------------|-------------|
| Standard Outer | CPCO | 3235(10.6') | 3810(12.5') | 426(1.4') | 1800(5.9') | 86kg(190lb) |
| Standard Inner | CPCI | 2875(9.76') | 3390(11.1') | 426(1.4') | 1800(5.9') | 60kg(205lb) |

ACCESS GRID


- Animal friendly
- Designed with 5 bearers and 12 rails
- Removable wings - sold separately



| | | Width | Depth | Height | Weight |
|------------|------------|--------------|-------------|------------|---------------|
| Grid 3.0 | CG3 | 3000(9.84') | 2200(7.21') | 300(0.98') | 346kg(763lb) |
| Grid 4.0 | CG4 | 4000(13.12') | 2200(7.21') | 300(0.98') | 454kg(1000lb) |
| Grid Wings | CGW | 2100(6.89') | | 1250(4.1') | 64kg(141lb) |

PREMIUM CATTLE GRID

- Animal Friendly
- Designed with 13 rails and 9/12 bearers
- In compliance with AS5100.2, engineered and weight rated
- Removable wings (sold separately)



The picture is for 4m premium grid.

| | | Width | Depth | Height | Weight |
|------------------------|-------------|--------------|-------------|------------|---------------|
| 3m Premium Cattle Grid | CGP3 | 3000(9.84') | 2000(6.56') | 320(1.05') | 632kg(1393lb) |
| 4m Premium Cattle Grid | CGP4 | 4000(13.12') | 2000(6.56') | 320(1.05') | 834kg(1839lb) |



STANDARD FORCE

- The force yard allows the handler to push cattle into the race system with minimal risk to the handler
- Innovative braking system stops the cattle from pushing the gate back therefore protecting the operator
- The curved layout works with the natural behaviour of how cattle run and tend to circle back to where they came from
- Standard Slide Gate Available



OFFSIDE FORCE AVAILABLE

- When using an offside force yard and a standard crush, the force yard requires the walkway to allow operation from the outside in line with crush operation



| | | Width | Depth | Height | Weight |
|-----------------|---------------|--------------|--------------|-------------|---------------|
| Blind | CFYB | 6300(20.67') | 3150(10.33') | 2200(7.22') | 777kg(1713lb) |
| Blind - Offside | CFYBO | 6300(20.67') | 3150(10.33') | 2200(7.22') | 777kg(1713lb) |
| Walkway Kits | CFYBWK | | | | 35kg(77lb) |



BUD BOX

- Designed to improve speed of stock flow



| | Length | Width | Height | Weight |
|-----------------|-------------|--------------|-----------|---------------|
| Bud Box CBBY-10 | 6299(20'8") | 4851(15'11") | 3048(10') | 921kg(2030lb) |

CATTLE SCALE



| | |
|--------------|----|
| Cattle Scale | CS |
|--------------|----|

COMBO PANEL & GATE/PIGS



COMBO GATES

Standard


- 8 Rails 70mm x 40mm Oval Rail
- 2 Post 50mm x 50mm Posts

Fit for all types of animals, including cattle, horses, sheep, & goats.

| | | Length | Height | Weight |
|---------------------|-----------------|---------------|---------------|-------------|
| Standard Combo Gate | C/SGS2.1 | 2100mm(6.88') | 2200mm(7.21') | 77kg(170lb) |
| Budget Combo Gate | C/SGBA | 2100mm(6'11") | 3000mm(9.84') | 72kg(152lb) |

Budget

- 8 Rails 60mm x 30mm Oval Rail
- 2 Post 40mm x 40mm Posts



STANDARD GATE

BUDGET COMBO GATE

COMBO PANELS

Standard

- 8 Rails 70mm x 40mm Oval Rail
- 2 Post 50mm x 50mm Posts

Fit for all types of animals, including cattle, horses, sheep, & goats.

| | | Length | Height | Weight |
|----------------------|-----------------|---------------|---------------|------------|
| Standard Combo Panel | C/SPS2.1 | 2100mm(6'11") | 1800mm(5'11") | 45kg(99lb) |
| Budget Combo Panel | C/SPB2.1 | 2100mm(6'11") | 1800mm(5'11") | 37kg(82lb) |

Budget

- 8 Rails 60mm x 30mm Oval Rail
- 2 Post 40mm x 40mm Posts



STANDARD PANEL

BUDGET PANEL

PIG PANEL

| | | Length | Height | Weight |
|----------------|----------------|------------|------------|------------|
| Pig Panel 2.1m | PP6.6-6 | 2000(6'6") | 1041(3'5") | 24kg(53lb) |



PIG GATE

| | | Length | Height | Weight |
|---------------|----------------|------------|------------|-------------|
| Pig Gate 2.1m | PG6.6-6 | 2000(6'6") | 1092(3'7") | 50kg(110lb) |





SHEEP LOADING RAMP

- Manufactured from galvanised steel
- Handy lugs for ground pinning
- Fully sheeted
- Fully adjustable height for trailer to truck loading



STANDARD SHEEP RAMP



OPTIONAL WALKWAY KIT AVAILABLE

| | | Length | Width | Height | Weight |
|---------------|--------------|--------------|------------|-------------|--------------|
| Standard Ramp | SLR | 3055(10') | 650(2.13') | 2250(7.38') | 284kg(626lb) |
| Walkway Kit | SLRWK | 3400(11.15') | 310(1') | | 50kg(110lb) |

RUSTLER RAMP

- 3 piece design easily flat packed for transport
- Ideal for use with a chute or trailer




| | | Length | Width | Height | Weight |
|--------------|------------|------------|-----------|-----------|-------------|
| Rustler Ramp | SFL | 2300(7.5') | 600(2.0') | 900(3.0') | 94kg(207lb) |



CURVED RACE KIT

- Assisting to process a large number of stock at a faster rate, improving productivity
- Reduces animal stress
- Sheep will move forward looking for an opening



| | | Length | Width | Height | Weight |
|-----------------|-------------|-------------|------------|------------|--------------|
| Race Curved Kit | SRCK | 5010(16.4') | 2500(8.2') | 1100(3.6') | 280kg(617lb) |





ADJUSTABLE V-RACE

- Manufactured from galvanised steel
- Fully sheeted
- The 'v' profile minimises the chance of small stock turning around in the race
- Races have a fully sheeted outer arc (prevents legs and heads getting out, and improves stock flow)
- Races are made without overhead bracing. This eliminates the danger of an operator getting his arm caught between the yard and beast



2 or 3 Way Sheep Draft Gate

- Assisting to process a large number of stock at a faster rate, improving productivity



SG3W



SG2W



MOBILE ADJUSTABLE V-RACE




| | | Length | Depth | Height | Weight |
|-------------|-------------|-------------|------------|-------------|--------------|
| Sheep Race | SRA | 3410(11.2') | 540(2.13') | 1020(3.77') | 186kg(410lb) |
| Mobile Race | SRMY | 4320(14.2') | 2250(7.4') | 1560(5.12') | 436(961lb) |

PANELS NOT INCLUDED WHEN ORDERING



SHEEP HANDLER

SHEEP HANDLER WITH YARD



- Designed to Improve the efficiency of managing your sheep or goats
- Comes with 4 adjustment gears, to accommodate all stock sizes
- Comes with slide gate front and back
- Easy to tip sheep/goat up at a safe working height and do handling work
- Supplied in Flat Pack

| | Length | Width | Height | Weight |
|-------------------|------------|-------------|-------------|--------------|
| Sheep Handler SGH | 1760(5'9") | 1206(3'11") | 1206(3'11") | 142kg(313lb) |



BRAZZEN 7 RAIL

- 7 rail - 32od pipe
- Manufactured from galvanised steel
- Light weight
- Ideal for portable yards



BRAZZEN SHEEP PANEL

| | | Rail | Uprights | Height | Width | Weight |
|---------------------|--------------------|------|----------|-------------|-------------|------------|
| Economy Sheep Panel | SPB10/3.3-7 | 250D | 320D | 1000(3.28') | 2900(9'5") | 20kg(44lb) |
| Brazen 3.0 | SPB-7 | 320D | 320D | 1000(3.28') | 3000(9.84') | 28kg(62lb) |
| Brazen Blind 1.0 | SPBB1.0 | 320D | 320D | 1000(3.28') | 1000(3.28') | 19kg(42lb) |
| Brazen Blind 2.0 | SPBB2.0 | 320D | 320D | 1000(3.28') | 2000(6.56') | 32kg(70lb) |
| Brazen Blind 3.0 | SPBB3.0 | 320D | 320D | 1000(3.28') | 3000(9.84') | 42kg(93lb) |

BRAZZEN GATES



1M DRAFT GATE



SHEEP GATE THROW LATCH




ANTI-BACKING WING



RACE GATE



BRAZZEN SHEEP GATE



RACE BOW

PERMANENT POST

| | | Rail | Uprights | Height | Width | Weight |
|--------------|---------------|-------|------------|-------------|-------------|-------------|
| Brazen 2.1 | SGB2.1 | 320D | 50x50 | 1000(3.28') | 2000(6.56') | 39kg(86lb) |
| Brazen 3.0 | SGB3.0 | 320D | 50x50 | 1000(3.28') | 3000(9.84') | 54kg(119lb) |
| Brazen Draft | SGB1.0 | 320D | 50x50 | 1000(3.28') | 1000(3.28') | 20kg(44lb) |
| Race Gate | SGR | 320D | 50x50 | 1000(3.28') | 550(1.80') | 17kg(37lb) |
| Race Bow | SRB | 50x50 | 1100(3.6') | 550(1.80') | | 8kg(18lb) |
| Perm. Post | SPP | 50x50 | | 1885(6.18') | | 10kg(22lb) |



PREMIUM SHEEP PANELS


- Manufactured from galvanised steel
- Blind panels are designed to reduce distractions and improve the flow of stock
- Wide top rail for operator comfort when leaning over or accessing yard to yard
- Lamb proof rail spacing
- Height is 1100mm
- Panels can be used in permanent or portable applications



GUILLOTINE LIFT-UP SHEEP GATE



PREMIUM BLIND SHEEP PANEL



PREMIUM SHEEP PANEL



PREMIUM SHEEP GATE

SHEEP GATES

- Manufactured from galvanised steel
- Premium gates are manufactured with 60x30 oval rails and 40x40 posts
- Sliding gates come supplied as conventional push in types, or as push out type



SLIDING SHEEP GATE

| | | Rail | Uprights | Height | Width | Weight |
|------------------------------|----------------|-------|----------|-------------|-------------|-------------|
| Premium 1.0 | SPP1.0 | 60x30 | 40x40 | 1100(3.6') | 1000(3.28') | 13kg(29lb) |
| Premium 2.0 | SPP2.0 | 60x30 | 40x40 | 1100(3.6') | 2000(6.56') | 24kg(53lb) |
| Premium 3.0 | SPP3.0 | 60x30 | 40x40 | 1100(3.6') | 3000(9.84') | 34kg(75lb) |
| Blind 1.0 | SPPB1.0 | 60x30 | 40x40 | 1100(3.6') | 1000(3.28') | 17kg(37lb) |
| Blind 2.0 | SPPB2.0 | 60x30 | 40x40 | 1100(3.6') | 2000(6.56') | 32kg(71lb) |
| Blind 3.0 | SPPB3.0 | 60x30 | 40x40 | 1100(3.6') | 3000(9.84') | 44kg(97lb) |
| Premium Race | SGPR | 60x30 | 50x50 | 1100(3.6') | 550(1.80') | 20kg(44lb) |
| Premium Draft | SGP1.0 | 60x30 | 50x50 | 1123(3.68') | 1000(3.28') | 30kg(66lb) |
| Premium Gate 2.1 | SGP2.1 | 60x30 | 50x50 | 1123(3.68') | 2100(6.56') | 43kg(95lb) |
| Premium Gate 3.0 | SGP3.0 | 60x30 | 50x50 | 1123(3.68') | 3000(9.84') | 59kg(130lb) |
| Sliding Gate | SGPS | 50x25 | 30x30 | 1135(3.72') | 765(2.51') | 30kg(66lb) |
| Guillotine Gate | SGG | 40x40 | 20x20 | 2160(7.09') | 650(2.13') | 34kg(75lb) |
| Optional Guillotine Gate Kit | SGGK | | | | | |



SHEEP PREMIUM DRENCH RACE PANEL



- 6 rails 60/30 oval tubes
- 2 posts 40/40 square posts
- Top rail is demountable



| | | Length | Height |
|--------------------------------------|----------------|-------------|-------------|
| Sheep Premium Drench Race Panel 3.0m | SPPD3.0 | 3000(9.84') | 1100(3.61') |

SHEEP MARKING PANEL

- HPost: 40 x 40 x 1.7mm square tube
- Rails: 60 x 30 x 1.5mm oval tube
- Top 2 rails would drop down




| | | Length | Height |
|---------------------|----------------|-------------|-------------|
| Sheep Marking Panel | SPPM3.0 | 3000(9.84') | 1100(3.61') |



GOAT PANEL


- Outer frame made by od32x1.5mm pipe
- Inside 7 rail made by od25x1.3mm
- C clug provided
- Mid-plate welded on



| | | Length | Height | Weight |
|----------------|--------------|------------|------------|------------|
| Goat Panel 2.0 | GP2.0 | 2000(6.6') | 1250(4.1') | 18kg(39lb) |
| Goat Panel 3.0 | GP3.0 | 3000(9.8') | 1250(4.1') | 25kg(55lb) |

GOAT GATE

- Frame's bottom rail made by 50x50x2.5mm hdg tube
- Panel frame made by od32x1.5mm, 7 rail od25x1.3mm pipe
- Uprights 50x50x1.7mm hdg tube
- C clug provided
- Chain lock system provided



| | | Length | Height | Weight |
|---------------|--------------|------------|------------|------------|
| Goat Gate 2.0 | GG2.0 | 2000(6.6') | 1350(4.4') | 35kg(77lb) |
| Goat Gate 3.0 | GG3.0 | 3000(9.8') | 1350(4.4') | 45kg(99lb) |



HORSE PANELS

Round Yard Diameter Specifications (Approx.)

| | |
|-----|----------------------------------|
| 10m | 13 Panels Plus 1 Gate = 14 Units |
| 12m | 15 Panels Plus 1 Gate = 16 Units |
| 13m | 17 Panels Plus 1 Gate = 18 Units |
| 14m | 19 Panels Plus 1 Gate = 20 Units |
| 16m | 21 Panels Plus 1 Gate = 22 Units |
| 17m | 23 Panels Plus 1 Gate = 24 Units |
| 18m | 25 Panels Plus 1 Gate = 26 Units |
| 20m | 27 Panels Plus 1 Gate = 28 Units |



HORSE PANEL

| | | Horizontal | Uprights | Rails | Height | Width | Weight |
|-------------|-------|------------|----------|-------|-------------|-------------|------------|
| Horse Panel | HP2.1 | 60x30 | 40x40 | 5 | 1650(5.41') | 2100(6.89') | 26kg(57lb) |

HIGH TOP HORSE GATE

- Height adjustable to 3.0m allowing the option to ride through gates
- Gate is hinged to swing in both directions




| | | Horizontal | Uprights | Rails | Height | Width | Weight |
|------------|-----|------------|----------|-------|-------------|-------------|-------------|
| Horse Gate | HGA | 60x30 | 50x50 | 5 | 3000(9.84') | 2100(6.89') | 54kg(119lb) |



HORSE FLOAT PANEL

- Powder coated
- Ideal for temporary holding yards
- Portable light weight panels
- 2x panel pieces make a 2m holding pen



| | Height | Width Folded | Width Flat | Weight |
|---------------------------------|-----------|--------------|-------------|------------|
| Horse Float Panel HFP2.0 | 1250(4.1) | 2000L(6.6') | 4000(13.2') | 18kg(40lb) |



DOUBLE ANIMAL/HORSE SHELTER

- Suitable shelter for animals, stock feed and machinery
- Providing shelter along with air flow for all conditions
- Lined with heavy duty marine ply to protect stock from injury
- Supplied in flat pack
- Anchor plates so you can bolt the shelter down
- Handy lugs on the front so you can attach a gate/s



SINGLE ANIMAL/HORSE SHELTER

CONFIGURATION OPTIONS:

1. Basic Design with Roof, No Mesh, No Sheet , No Front Panel/Gate
2. With Mesh
3. With Mesh with Sheet
4. With Mesh with Steel Gate/Panel
5. With Sheet with Steel Gate/Panel
6. With Mesh with Sheet With Steel Gate/Panel
7. With Mesh with Plywood Panel & Gate
8. With Sheet with Plywood Panel & Gate
9. With Mesh with Sheet With Plywood Panel & Gate
10. Foot Pegs Are Optional



| | | Width | Depth | Height | Weight |
|---------------------------|--------------|-------------|-------------|-------------|---------------|
| 3m Horse Shelter - Single | HS3/3 | 3000(9.84') | 3000(9.84') | 2680(8.79') | 465kg(1025lb) |
| 4m Horse Shelter - Single | HS4/4 | 4000(13.1') | 4000(13.1') | 2680(8.79') | 673kg(1484lb) |

Please check with us for other configuration item codes.



ROUND HAY FEEDER

- Holds 6 ft round bales
- Feeds up to 14 animals simultaneously
- 3 piece construction makes it easy to relocate (3x FRP makes one ring)
- Manufactured from hot dipped galvanised pipe



| | Width | Height | Weight |
|-----|-------------|-------------|------------|
| FRP | 2000(6.56') | 1050(3.44') | 33kg(73lb) |

RECTANGLE HAY FEEDER


- Holds 2x6 ft round bales
- Feeds up to 20 animals simultaneously
- 4 piece construction makes it easy to relocate (2x FRP +2x FSP makes one ring)
- Manufactured from hot dipped galvanised pipe



| | Width | Depth | Height | Weight |
|-----|-------------|------------|------------|------------|
| FSP | 3477(11'4") | 1791(5'9") | 1050(3'4") | 36kg(79lb) |

SQUARE BALE CRADLE FEEDER

- Holds large rectangle bales
- Keeps bales raised off the ground
- Manufactured from hot dipped galvanised pipe




FSC/R Optional Rubber Sheet

| | Width | Depth | Height | Weight |
|-------|------------|-------------|-------------|--------------|
| FSC | 2900(9.5') | 1500(4.92') | 1080(3.54') | 126kg(278lb) |
| FSC/R | 2900(9.5') | 1500(4.92') | 1080(3.54') | 126kg(278lb) |

DIAGONAL FEEDER

- Holds large rectangle bales
- Keeps bales raised off the ground
- Manufactured from pre-galvanised material



| | Width | Length | Height | Weight |
|-----------------------------|----------|-------------|------------|--------------|
| Diagonal Feeder FD18 | 1524(5') | 5486.4(18') | 1295(4'3") | 246kg(542lb) |



SQUARE BALE FEEDERS

- Modular type, can be bolted into single/double ones
- Can fit one large square bale
- Feeds up to 22 animals simultaneously
- 4 Piece construction makes it easy to relocate
- Manufactured from pre-galvanised material



| | | Width | Length | Height | Weight |
|---------------------------------|------------|----------|----------|------------|------------|
| Square Bale Feeder-Straight Bar | FSS | 1524(5') | 2743(9') | 1295(4'3") | 142(313lb) |
| Square Bale Feeder-Angled Bar | FSA | 1524(5') | 2743(9') | 1295(4'3") | 140(309lb) |

ROUND BALE FEEDERS

- Holds 6 ft round bales
- Feeds up to 18 animals simultaneously
- 2 piece construction makes it easy to relocate
- Manufactured from pre-galvanised material



| | | Diameter | Height | Weight |
|--------------------------------|------------|------------|------------|--------------|
| Round Bale Feeder-Straight Bar | FRS | 2133.6(7') | 1295(4'3") | 103kg(227lb) |
| Round Bale Feeder-Angled Bar | FRA | 2133.6(7') | 1295(4'3") | 93kg(205lb) |



ROUND BALE CRADLE FEEDER

- Full 32nb pipe
- Holds 1x round bales



| | | Width | Depth | Height | Weight |
|--------------------------|------------|------------|----------|----------|--------------|
| Round Bale Cradle Feeder | FRC | 1645(5'5") | 1532(5') | 1216(4') | 142kg(313lb) |

SMALL CRADLE FEEDER

- Small round bale cradle feeder



| | | Width | Depth | Height | Weight |
|---------------------|-------------|------------|------------|------------|-------------|
| Small Cradle Feeder | FRSC | 1475(4'8") | 1415(4'6") | 670(2'19") | 50kg(110lb) |

DUAL HAY FEEDER

- Holds 2x round bales or 1x large



| | | Width | Depth | Height | Weight |
|-----------------|-------------|------------|------------|------------|--------------|
| Dual Hay Feeder | FSCS | 2900(9'5") | 2250(7'3") | 1216(3'9") | 128kg(282lb) |



LINE FEEDERS



| | | Width | Length | Height | Weight |
|-----------------|--------------|----------|-----------|------------|-------------|
| Line Feeder 5.0 | FL-5 | 1524(5') | 1524(5') | 1295(4'3") | 24kg(53lb) |
| Line Feeder 9.0 | FL-9 | 1524(5') | 2743(9') | 1295(4'3") | 41kg(91lb) |
| Line Feeder 18 | FL-18 | 1524(5') | 5486(18') | 1295(4'3") | 82kg(182lb) |

HEAVY DUTY V TOP SQUARE FEEDER



| | | Width | Length | Height | Weight |
|--------------------------------|---------------|------------|-------------|-------------|-----------------|
| Heavy Duty V Top Square Feeder | FSVHDH | 1676(5'5") | 2,819(9'3") | 1,346(4'5") | 196.86kg(434lb) |

SHEEP HANGING FEEDER



| | | Length | Height | Width | Weight |
|----------------------|--------------|------------|---------|-----------|----------|
| Sheep Hanging Feeder | SF008 | 559(1'10") | 305(1') | 457(1'6") | 4kg(9lb) |



SHEEP TROLLEY FEEDER

- Ideal to keep the weather off stock-feed
- Reduces waste
- Supplied with 4x10" wheels x 1" bore with rubber tyre with 2'7½" wide lid c/w protex fastening and lid catch
- Double sided 3"x 3" hay-rack



| | | Width | Depth | Height | Weight |
|----------------------|-----|------------|------------|-----------|-------------|
| Sheep Trolley Feeder | FTS | 1270(4'2") | 330(1'11") | 686(2'3") | 52kg(115lb) |

SHEEP FEEDER V-TOP WITH SKID

- Overall size: 2401L x 800D x 1200H
- 1200mm Height designed to assist any tractor job to lead hay easily
- Lip rolled to the outside means no feed build up, fresher feed and no mold
- Formed so bunks can be set end-to-end or stacked for storage
- HDG rounded skid legs allow for easy movement in muddy conditions while providing lasting strength and reliability
- A distinctive design that helps to reduce hay wastage



| | | Length | Depth | Height | Weight |
|------------------------------|------|-------------|------------|-------------|---------------|
| Sheep Feeder V-Top With Skid | FSVT | 2401(7.77') | 800(2.63') | 1200(3.94') | 113kg(249lbs) |



LICK FEEDERS

- Unique barrel design increases strength and does away with the need for internal supports
- Sizes available 800ltr, 2400ltr, 3200ltr, 4200ltr & 5200ltr
- Fully adjustable
- Full top hinge opening lid
- 3 viewing feed level indicators
- Robust galvanised construction with fork slots for easy moving



| | | Length | Width | Height | Weight |
|---------|---------------|------------|-------------|-------------|---------------|
| 800ltr | SFL800 | 1171(3.8') | 1232(4') | 1435(4.7') | 151kg(322lb) |
| 2400ltr | SFL24 | 2265(7.4') | 1147(3.76') | 1750(5.74') | 315kg(695lb) |
| 3200ltr | CFL32 | 2265(7.4') | 1167(3.83') | 2100(6.89') | 394kg(867lb) |
| 4200ltr | CFL42 | 2265(7.4') | 1405(4.61') | 2250(7.38') | 446kg(993lb) |
| 5200ltr | CFL52 | 2919(9.5') | 1574(5.16') | 2223(7.29') | 520kg(1146lb) |



GRAIN SELF FEEDERS

Lienert Ag Supplies manufacture and supply a range of both mobile and stationary stock self grain feeders. The Lienert range is of a unique design with some features completely unique to the Lienert range. Designed specifically by Matt from his own experience to help make feeding stock simple and time effective has assured the product remains highly competitive on the market for its capabilities.

- Fully adjustable flow control gate
- 1.1m wide lid opening - easy filling with no spillage direct out of silo and auger
- Easy roll over tarp - canvas guarantee of 10 years from date of purchase
- All bolted with high tensile M8 zinc plated bolts and nylock nuts, NO tek screws
- Quick release spring bolts on gate adjustment
- All mobile feeders can be towed full and in tandem
- Maximum of 25km/hr. when towing full
Maximum of 100km/hr. when towing empty
- Extra wide rain shelters for protection of feed
- Deep feed tray to avoid spillage
- Jack stands on mobile units
- Full length sight glass
- Step ladder on outside and inside of all models
- Main body constructed from 1.6 gal sheet
- Skid frames 100 x 50 x 3 gal rhs
- Chassis 125 x 75 x 5 gal rhs



Extras Available

- Lick feeder attachments
- Creep feeder attachments
- Removable dolly's
- Flat pack options for easy and cost effective freight options

| | | Length | Width | Height | Weight |
|--------------------|---------------|-------------|------------|------------|----------------|
| 50 Bag Stationary | FGS50 | 2400(7.87') | 1200(3.9') | 1900(6.2') | 400kg(881lb) |
| 50 Bag Mobile | FGM50 | 4800(15.7') | 2300(7.5') | 2000(6.5') | 600kg(1322lb) |
| 65 Bag Stationary | FGS65 | 3000(9.8') | 2300(7.5') | 1900(6.2') | 450kg(992lb) |
| 65 Bag Mobile | FGM65 | 5100(16.7') | 2300(7.5') | 2300(7.5') | 700kg(1543lb) |
| 100 Bag Stationary | FGS100 | 4800(15.7') | 2300(7.5') | 200(0.65') | 1000kg(2204lb) |
| 130 Bag Stationary | FGS130 | 6000(19.6') | 2300(7.5') | 200(0.65') | 1200kg(2645lb) |



ATV TRAILER

- 5 x 3 ft
- Tipping feature
- Removable cage

Materials

- Standard 2mm flat plate
- 10inch sides
- 50 x 50 x 2mm draw bar
- 50mm coupling
- 45mm hollow axle
- 13inch sunraysia ford tyres
- 30 x 30 rhs chassis
- Cage 25nb pipe frame with 50 x 50 x 4mm mesh 900mm high



| | | Weight |
|-------------|------|--------------|
| ATV Trailer | TATV | 165kg(363lb) |






RAISED DOG PENS

Standard Dog Pens

- Available in single and double in both standard and raised
- Raised flooring composite boards with drainage gaps
- Sturdy construction and design
- Providing great protection for your pets



Materials:

Frame 30 x 30 x 1.6mm galvanised tube

Mesh: 25 x 84mm with 3mm diameter

Hot dip galvanised

| | | Depth | Width | Height | Weight |
|------------------------------|--------------|------------|------------|------------|--------------|
| Single Raised Dog Pen | DCSR | 2300(7.5') | 1104(3.6') | 1688(5.5') | 168kg(370lb) |
| Double Raised Dog Pen | DCDR | 2300(7.5') | 2100(6.9') | 1688(5.5') | 368kg(811lb) |
| Single Raised Dog Pen Budget | DCBSR | 2200(7.2') | 1090(3.6') | 1645(5.4') | |
| Double Raised Dog Pen Budget | DCBDR | 2200(7.2') | 2105(6.9') | 1645(5.4') | |



Budget Raised Dog Pens

- No back door
- FRP (Fiber glass grating floor)
- Designed as modular, it can be set up into a single pen, double pen, triple pen, etc...
- Detachable mid-wall
- Comes in Flat pack version
- Anti-UV Trim Deck and flashing provided

STANDARD DOG PENS



| | Depth | Width | Height | Weight |
|------------|-----------|-------------|----------|--------------|
| DCS | 3660(12') | 2150(7.05') | 1830(6') | 178kg(392lb) |
| DCD | 3660(12') | 2400(7.87') | 1830(6') | 278kg(613lb) |



HOW TO RECOGNISE YOU ARE BUYING BRAZZEN GENUINE EQUIPMENT



BRAZZEN, OVER THE YEARS HAS BECOME A DOMINANT PLAYER IN THE LIVESTOCK EQUIPMENT INDUSTRY.

- 1 We pride ourselves in having excellent galvanising and even our upright posts are hot dipped galvanised on all our panels which is important as this is the part that touches the ground.
- 2 All the gauges/tube wall thickness of our rails and posts are exactly the thickness as stated in our specifications.
- 3 Our workers pride themselves in their welding and you will see the difference with our welding compared with our competitors.
- 4 All our equipment has the anti-rattle rubbers where the pins join the equipment.
- 5 Our standard cattle panels are 36kg in weight, the biggest deception with cheaper panels is the thin steel tube gauge which reflects in the weight of steel.
- 6 Some companies have cheap panels with only half a C clamp on one side to save on steel. When linked with other panels this is much weaker than the full C clamp. Beware of these inferior panels.



"If it is not Genuine Brazen there is no Brazen Warranty"

We take pride in our excellent galvanizing, with all upright posts on our standard panels being Hot-Dipped Galvanized. This is essential, as these posts are in direct contact with the ground, mud, and snow.

Our manufacturing facility is managed by Australians, ensuring that quality control and product development are overseen to the highest standards. Australian livestock equipment is known worldwide for its durability, and much of Brazen equipment is used in the Northern Territory and outback regions, where it reliably withstands the demands of penning buffalo, wild cattle, and horses.

Many manufacturers have started to imitate our designs, attempting to sell their products as Brazen Equipment.

For you to recognise genuine Brazen Equipment, you will see a logo on the cap on the top of the posts on our panels, you will see a Brazen sticker on the panels. A lot of our equipment will have the logo stamped in them.

If you have a farm and would like to make another income we are looking for dealers. Reach out if this is something you are interested in.

Do please keep buying Brazen Equipment and make sure it is genuine.



BE BRAZEN BUY BRAZZEN



BRAZZEN

RURAL PRODUCTS



DESIGNED & TESTED BY
FARMERS WORLDWIDE

Contact & Sales

HEAD OFFICE

Tel 1300 686 517

80 Mann Street
Coolamon NSW 2701
sales@brazzen.com.au

